Geophysical journal international subject index by volume 120–123

Aegean

The nucleation and rupture process of the 1981 Gulf of Corinth earthquakes from deconvolved broad-band data (Abercrombie, R.E., Main, I.G., Douglas, A., Burton, P.W.), **120,** 393

Africa

East African earthquakes below 20 km depth and their implications for crustal structure (Nyblade, A.A., Langston, C.A.), **121,** 49

Aftershocks

The temporal distribution of aftershock sequences in the subduction zones of the Pacific (Tsapanos, T.M.), **123,** 633

Aleutian Islands

Source parameters of earthquakes in the Aleutian Islands subduction zone (Liakopoulou-Morris, F., Main, I.G., Pearce, R.G.), **120,** 419

Alps

Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617

Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps (Maurer, H., Deichmann, N.), **123,** 588

Andes

A Pliocene–Quaternary compressional basin in the Interandean Depression, Central Ecuador (Lavenu, A., Winter, T., Dávila, F.), **121,** 279

Anelasticity

Seismic-source and wave-propagation effects of L_g waves in Scandinavia (Kvamme, L.B., Hansen, R.A., Bungum, H.), **120,** 525

The cause of frequency-dependent seismic absorption in crustal rock (Leary, P.C.), **122,** 143

Anisotropy

Modelling elastic-wave propagation in inhomogeneous anisotropic media by the pseudo-spectral method (Lou, M., Rial, J.A.), **120,** 60

S-wave anisotropy off Lofoten, Norway, indicative of fluids in the lower continental crust? (Mjelde, R., Sellevoll, M.A., Shimamura, H., Iwasaki, T., Kanazawa, T.), **120,** 87

P-wave array polarization analysis and effective anisotropy of the brittle crust (Bokelmann, G.H.R.), **120,** 145

Effect of thermal conductivity anisotropy of rocks on the subsurface temperature field (Šafanda, J.), **120,** 323

α/β phase transition in quartz monitored using acoustic emissions (Glover, P.W.J., Baud, P., Darot, M., Meredith, P.G., Boon, S.A., LeRavalec, M., Zoussi, S., Reuschlé, T.), **120,** 775

Multicomponent near-surface correction for land VSP data (MacBeth, C., Zeng, X., Li, X.-Y., Queen, J.), **121,** 301

3-D seismic modelling of general material anisotropy in the presence of the free surface by a Chebyshev spectral method (Tessmer, E.), **121,** 557

Normal-mode splitting due to inner-core anisotropy (Tromp, J.), **121,** 963

SH propagation in rocks with planar fractures—I. Excess slowness (Frazer, L.N.), **122,** 33

The cause of frequency-dependent seismic absorption in crustal rock (Leary, P.C.), **122,** 143

Radiation of elastic waves from sources embedded in anisotropic inclusions (Ben-Menahem, A., Gibson, R.L., Jr), **122,** 249

Seismic anisotropy caused by rock fabric (Lee, J.M., Alexander, S.S.), **122,** 705

Anisotropy tomography of *P*-wave traveltimes (Mochizuki, E.), **123,** 297

Small-scale sublithospheric continental mantle deformation: constraints from *SKS* splitting observations (Alsina, D., Snieder, R.), **123,** 431

Shear-wave polarization anisotropy beneath the north-eastern part of Honshu (Okada, T., Matsuzawa, T., Hasegawa, A.), **123,** 781

Anisotropy and non-linear polarization of body waves in exponentially heterogeneous media (Grechka, V.Y., McMechan, G.A.), **123,** 959

APW (apparent polar wander)

The palaeomagnetism of middle Proterozoic dyke swarms of the Gardar Province and Mesozoic dykes in SW Greenland (Piper, J.D.A.), **120,** 339

Palaeomagnetism of Proterozoic dykes from Bornholm, Denmark (Abrahamsen, N., Lewandowski, M.), **121,** 949

The Late Carboniferous to Early Triassic geodynamic evolution of Variscan Europe in the light of magnetic overprints in Early Permian rhyolites from the northern Vosges (France) and central Black Forest (Germany) (Edel, J.B., Schneider, J.L.), **122,** 858

Archaeomagnetism

A new contribution to the archaeomagnetic study of a Roman pottery kiln from Calahorra (Spain) (Kovacheva, M., Pares, J., Jordanova, N., Karloukovski, V.), **123,** 931

Arctic Ocean

New insights into the evolution of the Lomonosov Ridge and the Eurasian Basin (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **122,** 378

Argentina

Palaeomagnetism of the Silurian Lipeón formation, NW Argentina, and the Gondwana apparent polar wander path (Conti, C.M., Rapalini, A.E., Vilas, J.F.), **121,** 848

Array

P-wave array polarization analysis and effective anisotropy of the brittle crust (Bokelmann, G.H.R.), **120,** 145

Processing of pre-critical wide-angle seismic reflection data from the BABEL project (Dahl-Jensen, T., Lindsey, G., Law, A., Snyder, D.), **122,** 1

Evidence for normal and inhomogeneous lowermost mantle and core–mantle boundary structure under the Arctic and northern Canada (Krüger, F., Weber, M., Scherbaum, F., Schlittenhardt, J.), **122,** 637

Artificial intelligence

Automatic picking of seismic arrivals in local earthquake data using an artificial neural network (Dai, H., MacBeth, C.), **120,** 758
Neural network analyses of stress-induced overpressures in the Pannonian Basin (Van Balen, R., Cloetingh, S.), **121,** 532

Asia

Characteristics of surface waves generated by events on and near the Chinese nuclear test site (Levshin, A.L., Ritzwoller, M.H.), **123,** 131

Asthenosphere

Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models (Breuer, D., Wolf, D.), **121,** 775
Movement of the lithosphere–asthenosphere interface in response to erosion of thickened continental lithosphere: a moving boundary approach (Manglik, A., Gliko, A.O., Singh, R.N.), **122,** 479
Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere (Belardinelli, M.E., Bonafede, M.), **123,** 744

Atmospheres

Atmospheric electrical conductivity variations over different environments (Kumar, V.S., Sampath, S., Das, S.M., Kumar, K.V.), **122,** 89
Global gravitational changes due to atmospheric mass redistribution as observed by the Lageos nodal residual (Chao, B.F., Eanes, R.), **122,** 755

Attenuation

The *Q*-gram method: *Q* from instantaneous phase (Bromirski, P.D., Frazer, L.N., Duennebier, F.K.), **120,** 73
Evidence for a seismic attenuation anomaly beneath the Hida Mountain Range, Central Honshu, Japan (Katsumata, K., Urabe, T., Mizoue, M.), **120,** 237
Seismic-source and wave-propagation effects of L_g waves in Scandinavia (Kvamme, L.B., Hansen, R.A., Bungum, H.), **120,** 525
Separation of scattering and intrinsic attenuation in southern Spain and western Anatolia (Turkey) (Akinci, A., Del Pezzo, E., Ibáñez, J.M.), **121,** 337
Influence of fluid chemistry on shear-wave attenuation and velocity in sedimentary rocks (Vo-Thanh, D.), **121,** 737
Velocity and attenuation of elastic waves in finely layered porous rocks (Gurevich, B., Lopatnikov, S.L.), **121,** 933
Quantifying crustal fracture heterogeneity by seismic scattering (Leary, P.C.), **122,** 125
The cause of frequency-dependent seismic absorption in crustal rock (Leary, P.C.), **122,** 143
Seismic attenuation in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Levin, V., Sethi, R.), **122,** 175
Multiple scattering of *SH* waves in 2-D elastic media with distributed cracks (Murai, Y., Kawahara, J., Yamashita, T.), **122,** 925
Seismic attenuation values obtained from instantaneous-frequency matching and spectral ratios (Matheney, M.P., Nowack, R.L.), **123,** 1
Determination of *Lg*-wave attenuation using single-station seismograms: a case study for Zimbabwe (Hlatywayo, D.J., Midzi, V.), **123,** 291
Relation between direct wave *Q* and coda *Q*: a numerical approach (Yomogida, K., Benites, R.), **123,** 471
Attenuation in the uppermost inner core from broad-band GEOSCOPE *PKP* data (Souriau, A., Roudil, P.), **123,** 572

Audiomagnetotellurics

High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada (Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C.), **120,** 406
Constraining seismic parameters with a controlled-source audiomagnetotelluric method (CSAMT) (Schnegg, P.-A., Sommaruga, A.), **122,** 152

***b* values**

Effect of seismic coupling on the scaling of seismicity (Wang, J.-H.), **121,** 475
Modelling of earthquake rupturing as a stochastic process and estimation of its distribution function from earthquake observations (Yin, Z.-M., Ranalli, G.), **123,** 838

Baltic Shield

Collisional tectonics of the Baltic Shield in the northern Gulf of Bothnia from seismic data of the BABEL project (Gohl, K., Pedersen, L.B.), **120,** 209
Processing of pre-critical wide-angle seismic reflection data from the BABEL project (Dahl-Jensen, T., Lindsey, G., Law, A., Snyder, D.), **122,** 1
Determination of Poisson's ratio from pre-critical wide-angle seismic reflection data from the BABEL project (Law, A., Snyder, D.B., Singh, S.C.), **122,** 16

Bengal basin

Multiple diving waves and high-velocity gradients in the Bengal sedimentary basin (Sarkar, D., Reddy, P.R., Kaila, K.L., Prasad, A.S.S.S.R.S.), **121,** 969

Body waves

Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases (Marquering, H., Snieder, R.), **120,** 186
Evidence for a seismic attenuation anomaly beneath the Hida Mountain Range, Central Honshu, Japan (Katsumata, K., Urabe, T., Mizoue, M.), **120,** 237
The nucleation and rupture process of the 1981 Gulf of Corinth earthquakes from deconvolved broad-band data (Abercrombie, R.E., Main, I.G., Douglas, A., Burton, P.W.), **120,** 393
Ruptures of deep-focus earthquakes in the north-western Pacific and their implications on seismogenesis (Glennon, M.A., Chen, W.-P.), **120,** 706
Modelling of near-surface seismic structure beneath Hawaii using reverberations (Li, Y., Thurber, C.H.), **122,** 441
Complete synthetic seismograms for a spherically symmetric earth by a numerical computation of the Green's function in the frequency domain (Friederich, W., Dalkolmo, J.), **122,** 537
Evidence for normal and inhomogeneous lowermost mantle and core–mantle boundary structure under the Arctic and northern Canada (Krüger, F., Weber, M., Scherbaum, F., Schlittenhardt, J.), **122,** 637
Anisotropy tomography of *P*-wave traveltimes (Mochizuki, E.), **123,** 297
Anisotropy and non-linear polarization of body waves in exponentially heterogeneous media (Grechka, V.Y., McMechan, G.A.), **123,** 959

Bohemian Massif

Upper Ordovician palaeogeography of the Bohemian Massif: implications for Armorica (Tait, J., Bachtadse, V., Soffel, H.), **122,** 211

Borehole geophysics

The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements (Kneib, G.), **122,** 594

Brazil

Shear-wave velocity in the south-eastern Brazilian continental shelf (de Souza, J.L.), **122,** 691

Brittle behaviour

Formulation of a 3-D numerical model of brittle behaviour (Donzé, F., Magnier, S.-A.), **122,** 790

Broad band

The nucleation and rupture process of the 1981 Gulf of Corinth earthquakes from deconvolved broad-band data (Abercrombie, R.E., Main, I.G., Douglas, A., Burton, P.W.), **120,** 393
Source parameters of earthquakes in the Aleutian Islands subduction zone (Liakopoulou-Morris, F., Main, I.G., Pearce, R.G.), **120,** 419
Attenuation in the uppermost inner core from broad-band GEOSCOPE *PKP* data (Souriau, A., Roudil, P.), **123,** 572
Characterization of seismic phases—an automatic analyser for seismograms (Tong, C.), **123,** 937

Canada

Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada (Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C.), **120,** 406
Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region (Mitrovica, J.X., Peltier, W.R.), **122,** 353

Canary Islands

Anomalously shallow palaeomagnetic inclinations and the question of the age of the Canarian Archipelago (Carracedo, J.C., Soler, V.), **122,** 393

Central America

Magnitudes of Central American earthquakes 1898–1930 (Ambraseys, N.N.), **121,** 545

Chandler wobble

North Sea pole tide dynamics (Xie, L., Dickman, S.R.), **121,** 117

Chile

Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes (Comte, D., Suárez, G.), **122,** 419

China

Pedogenic and lithogenic contributions to the magnetic susceptibility record of the Chinese loess/palaeosol sequence (Fine, P., Verosub, K.L., Singer, M.J.), **122,** 97
Rock-magnetic proxies of climate change in the loess–palaeosol sequences of the western Loess Plateau of China (Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T.), **123,** 232
Age models, sediment fluxes and palaeoclimatic reconstructions for the Chinese loess and palaeosol sequences (Thompson, R., Maher, B.A.), **123,** 611

Climate

Ground temperature history in central Europe from borehole temperature data (Clauser, C., Mareschal, J.-C.), **121,** 805
Rock-magnetic proxies of climate change in the loess–palaeosol sequences of the western Loess Plateau of China (Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T.), **123,** 232

Continental deformation

Earthquake strain rates and instantaneous relative motions within central and eastern Asia (Holt, W.E., Li, M., Haines, A.J.), **122,** 569

Continental margins

Crustal structure of the Lofoten continental margin, off northern Norway, from ocean-bottom seismographic studies (Kodaira, S., Goldschmidt-Rokita, A., Hartmann, J.M., Hirschleber, H.B., Iwasaki, T., Kanazawa, T., Krahn, H., Tomita, S., Shimamura, H.), **121,** 907

Convection

Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem (Lister, C.R.B.), **120,** 45
Numerical modelling of melting processes and induced diapirism in the lower crust (Bittner, D., Schmeling, H.), **123,** 59

Core–mantle boundary

An interpretation of the core–mantle interaction problem (Getino, J.), **120,** 693
Experiments on precessing flows in the Earth's liquid core (Vanyo, J., Wilde, P., Cardin, P., Olson, P.), **121,** 136
Time-domain modelling of *PKIKP* precursors for constraints on the heterogeneity in the lowermost mantle (Cormier, V.F.), **121,** 725
Evidence for normal and inhomogeneous lowermost mantle and core–mantle boundary structure under the Arctic and northern Canada (Krüger, F., Weber, M., Scherbaum, F., Schlittenhardt, J.), **122,** 637

Corrigendum

Corrigendum (Tsapanos, T.M., Galanopoulos, D., Burton, P.W.), **120,** 783
Corrigendum (Lamb, S.H.), **121,** 318, 319

Cracks

Quantifying crustal fracture heterogeneity by seismic scattering (Leary, P.C.), **122,** 125
The cause of frequency-dependent seismic absorption in crustal rock (Leary, P.C.), **122,** 143
Multiple scattering of *SH* waves in 2-D elastic media with distributed cracks (Murai, Y., Kawahara, J., Yamashita, T.), **122,** 925
Displacement and gravity anomaly produced by a shallow vertical dyke in a cohesionless medium (Bonafede, M., Olivieri, M.), **123,** 639
Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere (Belardinelli, M.E., Bonafede, M.), **123,** 744
Velocities and quality factors of sedimentary rocks at low and high effective pressures (Jones, S.M.), **123,** 774

Crustal deformation

Oblique convergence of the crust driven by basal forcing: implications for length-scales of deformation and strain partitioning in orogens (Ellis, S., Fullsack, P., Beaumont, C.), **120,** 24

Coseismic crustal deformation from microseismicity in the Patras area, western Greece (Melis, N.S., Burton, P.W., Brooks, M.), **122,** 815
Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area (Burton, P.W., Melis, N.S., Brooks, M.), **123,** 16

Crustal structure

S-wave anisotropy off Lofoten, Norway, indicative of fluids in the lower continental crust? (Mjelde, R., Sellevoll, M.A., Shimamura, H., Iwasaki, T., Kanazawa, T.), **120,** 87
Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin (Louden, K.E.), **120,** 375
High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada (Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C.), **120,** 406
East African earthquakes below 20 km depth and their implications for crustal structure (Nyblade, A.A., Langston, C.A.), **121,** 49
Receiver functions at the stations of the German Regional Seismic Network (GRSN) (Kind, R., Kosarev, G.L., Petersen, N.V.), **121,** 191
Crustal structure of the Lofoten continental margin, off northern Norway, from ocean-bottom seismographic studies (Kodaira, S., Goldschmidt-Rokita, A., Hartmann, J.M., Hirschleber, H.B., Iwasaki, T., Kanazawa, T., Krahn, H., Tomita, S., Shimamura, H.), **121,** 907
Seismic attenuation in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Levin, V., Sethi, R.), **122,** 175
The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements (Kneib, G.), **122,** 594
Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617
Shear-wave velocity in the south-eastern Brazilian continental shelf (de Souza, J.L.), **122,** 691
Topography and geoid due to lithospheric mass anomalies (Le Stunff, Y., Ricard, Y.), **122,** 982
Deep-crustal mineral assemblages and potential for crustal rocks below the Moho in the Scottish Caledonides (Hynes, A., Snyder, D.B.), **123,** 323
Bayesian crustal structure inversion: an investigation of the feasibilities and limitations of the method (Mäntyniemi, P.), **123,** 420
Crustal structure of the Middle Urals based on reprocessing of Russian seismic reflection data (Steer, D.N., Knapp, J.H., Brown, L.D., Rybalka, A.V., Sokolov, V.B.), **123,** 673

Deformation

Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin (Louden, K.E.), **120,** 375
Global post-seismic deformation (Piersanti, A., Spada, G., Sabadini, R., Bonafede, M.), **120,** 544
A multi-objective second-order optimal design for deforming networks (Xu, P., Grafarend, E.), **120,** 577
Deformation parameters of permeable media (Hickey, C.J., Spanos, T.J.T., de la Cruz, V.), **121,** 359
Earthquake strain rates and instantaneous relative motions within central and eastern Asia (Holt, W.E., Li, M., Haines, A.J.), **122,** 569
Seismic deformation in the Mediterranean area estimated by moment tensor summation (Pondrelli, S., Morelli, A., Boschi, E.), **122,** 938

Denmark

Palaeomagnetism of Proterozoic dykes from Bornholm, Denmark (Abrahamsen, N., Lewandowski, M.), **121,** 949

Density

3-D density model for the lithosphere of Europe: construction method and preliminary results (Yegorova, T.P., Kozlenko, V.G., Pavlenkova, N.I., Starostenko, V.I.), **121,** 873

Diapir

Numerical modelling of melting processes and induced diapirism in the lower crust (Bittner, D., Schmeling, H.), **123,** 59

Diffraction

Seismic modelling over 3-D homogeneous layered structures—summation of Gaussian beams (Wang, T.K., Waltham, D.A.), **122,** 161
Asymptotic edge-and-vertex diffraction theory (Hanyga, A.), **123,** 277

Dislocation

Global post-seismic deformation (Piersanti, A., Spada, G., Sabadini, R., Bonafede, M.), **120,** 544
Single-force representation of earthquakes due to landslides or the collapse of caverns (Fukao, Y.), **122,** 243

Distortion

Understanding telluric distortion matrices (Smith, J.T.), **122,** 219

Dynamics

Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617

Earthquake prediction

Statistical features of foreshocks in comparison with other earthquake clusters (Ogata, Y., Utsu, T., Katsura, K.), **121,** 233
Multifractal analysis of earthquake catalogues (Godano, C., Caruso, V.), **121,** 385
Precursory seismic quiescence in the Mudurnu Valley (Wyss, M., Westerhaus, M., Berckhemer, H., Ates, R.), **123,** 117

Earthquake-source mechanism

Source mechanisms of volcanic tremor and low-frequency earthquakes associated with the 1988–89 eruptive activity of Mt Tokachi, Hokkaido, Japan (Nishimura, T., Hamaguchi, H., Ueki, S.), **121,** 444
Mechanisms of local earthquakes in 3-D inhomogeneous media determined by waveform inversion (Šílený, J., Pšenčík, I.), **121,** 459

Earthquakes

Automated classification of local earthquake data in the BUG small array (Joswig, M.), **120,** 262
The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, M=7.1 earthquake sequence (Suleiman, A.S., Doser, D.I.), **120,** 312
The nucleation and rupture process of the 1981 Gulf of Corinth earthquakes from deconvolved broad-band data (Abercrombie, R.E., Main, I.G., Douglas, A., Burton, P.W.), **120,** 393
Source parameters of earthquakes in the Aleutian Islands subduction zone (Liakopoulou-Morris, F., Main, I.G., Pearce, R.G.), **120,** 419
Evaluation of the applicability of the time- and slip-predictable earthquake recurrence models to Italian seismicity (Mulargia, F., Gasperini, P.), **120,** 453
Partitioning of crustal slip between linked, active faults in the eastern Qilian Shan, and evidence for a major seismic gap, the 'Tianzhu gap', on the western Haiyuan Fault, Gansu (China) (Gaudemer, Y., Tapponnier, P., Meyer, B., Peltzer, G., Shunmin, G., Zhitai, C., Huagung, D., Cifuentes, I.), **120,** 599

Ruptures of deep-focus earthquakes in the north-western Pacific and their implications on seismogenesis (Glennon, M.A., Chen, W.-P.), **120,** 706
East African earthquakes below 20 km depth and their implications for crustal structure (Nyblade, A.A., Langston, C.A.), **121,** 49
Statistical features of foreshocks in comparison with other earthquake clusters (Ogata, Y., Utsu, T., Katsura, K.), **121,** 233
Magnitudes of Central American earthquakes 1898–1930 (Ambraseys, N.N.), **121,** 545
Phenomenological representation and kinematics of general seismic sources including the seismic vector modes (Takei, Y., Kumazawa, M.), **121,** 641
Finite-fault analysis of the 1979 March 14 Petatlan, Mexico, earthquake using teleseismic *P* waveforms (Mendoza, C.), **121,** 675
Joint inversion of observed gravity and GPS baseline changes for the detection of the active fault segment at the Red River fault zone (Zhao, S.), **122,** 70
Statistical test of the tidal triggering of earthquakes: contribution of the ocean tide loading effect (Tsuruoka, H., Ohtake, M., Sato, H.), **122,** 183
Single-force representation of earthquakes due to landslides or the collapse of caverns (Fukao, Y.), **122,** 243
Earthquake strain rates and instantaneous relative motions within central and eastern Asia (Holt, W.E., Li, M., Haines, A.J.), **122,** 569
Changes in the Earth's rotational energy induced by earthquakes (Chao, B.F., Gross, R.S.), **122,** 776
Changes in global gravitational energy induced by earthquakes (Chao, B.F., Gross, R.S., Dong, D.-N.), **122,** 784
A hypothesis for the seismogenesis of a double seismic zone (Kao, H., Liu, L.), **123,** 71
Absolute and relative locations of similar events with application to microearthquakes in southern Iceland (Slunga, R., Rögnvaldsson, S.Th., Bödvarsson, R.), **123,** 409
Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere (Belardinelli, M.E., Bonafede, M.), **123,** 744
Modelling of earthquake rupturing as a stochastic process and estimation of its distribution function from earthquake observations (Yin, Z.-M., Ranalli, G.), **123,** 838

Earth's core

Experiments on precessing flows in the Earth's liquid core (Vanyo, J., Wilde, P., Cardin, P., Olson, P.), **121,** 136
The effect of a finitely conducting layer in the mantle on magnetic instability in the core (Lamb, C.J.), **121,** 763
Forced nutations of a rigid mantle–liquid core earth model in canonical formulation (Getino, J.), **122,** 803

Earth's interior

Comparison of global waveform inversions with and without considering cross-branch modal coupling (Li, X.-D., Romanowicz, B.), **121,** 695

Earth's rotation

An interpretation of the core–mantle interaction problem (Getino, J.), **120,** 693
Pleistocene glaciation and the Earth's precession constant (Mitrovica, J.X., Forte, A.M.), **121,** 21
Geophysical analysis of zonal tidal signals in length of day (Chao, B.F., Merriam, J.B., Tamura, Y.), **122,** 765

Ecuador

A Pliocene–Quaternary compressional basin in the Interandean Depression, Central Ecuador (Lavenu, A., Winter, T., Dávila, F.), **121,** 279

Edge waves

Asymptotic edge-and-vertex diffraction theory (Hanyga, A.), **123,** 277

Eigentheory

Asymptotic normal modes of the Earth—II. Eigenfunctions (Zhao, L., Dahlen, F.A.), **121,** 585

Elastic-wave theory

Low-frequency elastic-wave scattering by an inclusion: limits of applications (Gritto, R., Korneev, V.A., Johnson, L.R.), **120,** 677
Elastic scattered waves from a continuous and heterogeneous layer (Li, X., Hudson, J.A.), **121,** 82
Radiation of elastic waves from sources embedded in anisotropic inclusions (Ben-Menahem, A., Gibson, R.L., Jr), **122,** 249

Elastodynamics

Heterogeneous formulations of elastodynamic equations and finite-difference schemes (Zahradník, J., Priolo, E.), **120,** 663
An analytical solution of the elastodynamic equations along the axis of a circular fault (Cara, M., Bour, M.), **123,** 373

Electrical conductivity

Sensitivity analysis of electromagnetic measurements over exponentially varying conductivity earth models (Singh, R.P., Kant, Y.), **121,** 111
Atmospheric electrical conductivity variations over different environments (Kumar, V.S., Sampath, S., Das, S.M., Kumar, K.V.), **122,** 89
Subspace inversion of electromagnetic data application to mid-ocean-ridge exploration (Unsworth, M., Oldenburg, D.), **123,** 161
Bounds on local averages of one-dimensional electrical conductivity distributions (Weidelt, P.), **123,** 683
A 3-D finite-difference algorithm for DC resistivity modelling using conjugate gradient methods (Spitzer, K.), **123,** 903

Electrical resistivity

Potential representation by independent configurations on a multi-electrode array (Lehmann, H.), **120,** 331
Electrical resistivity model of the crust and upper mantle from a magnetotelluric survey through the central Pyrenees (Pous, J., Ledo, J., Marcuello, A., Daignières, M.), **121,** 750

Electromagnetic induction

Method for solution of Maxwell's equations in non-uniform media (Singer, B.Sh.), **120,** 590
Analysis of geomagnetic variations in south-western Nigeria (Ogunade, S.O.), **121,** 162
Electromagnetic induction in thin sheets: integral equations and model studies in two dimensions (Schmucker, U.), **121,** 173

Electromagnetic modelling

Sensitivity analysis of electromagnetic measurements over exponentially varying conductivity earth models (Singh, R.P., Kant, Y.), **121,** 111
Electromagnetic modelling of buried line conductors using an integral equation (Qian, W., Boerner, D.E.), **121,** 203

Electromagnetic surveys

Subspace inversion of electromagnetic data application to mid-ocean-ridge exploration (Unsworth, M., Oldenburg, D.), **123,** 161

Energy transport theory

Formulation of the multiple non-isotropic scattering process in 3-D space on the basis of energy transport theory (Sato, H.), **121,** 523

Erratum

Erratum (Singer, B.), **122,** 351
Erratum (Célérier, B.), **122,** 703

Eurasia

Inhomogeneities of the Eurasian mantle structure from the traveltimes of the nuclear explosions recorded by the Finnish seismic network during 1961–1985 (Grad, M., Krzyżanowska, M., Pirhonen, S.E.), **121,** 863

Eurasian Basin

New geophysical results from the south-western Eurasian Basin (Morris Jesup Rise, Gakkel Ridge, Yermak Plateau) and the Fram Strait (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **123,** 601

Europe

Ground temperature history in central Europe from borehole temperature data (Clauser, C., Mareschal, J.-C.), **121,** 805
3-D density model for the lithosphere of Europe: construction method and preliminary results (Yegorova, T.P., Kozlenko, V.G., Pavlenkova, N.I., Starostenko, V.I.), **121,** 873
The contrast in upper mantle shear-wave velocity between the East European Platform and tectonic Europe obtained with genetic algorithm inversion of Rayleigh-wave group dispersion (Lomax, A., Snieder, R.), **123,** 169
Blockage of regional seismic waves by the Teisseyre–Tornquist zone (Schweitzer, J.), **123,** 260

Fault models

A Pliocene–Quaternary compressional basin in the Interandean Depression, Central Ecuador (Lavenu, A., Winter, T., Dávila, F.), **121,** 279
Multifractal scaling properties of a growing fault population (Cowie, P.A., Sornette, D., Vanneste, C.), **122,** 457
Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake (Novelo-Casanova, D.A.), **123,** 628

Fault motions

Joint inversion of observed gravity and GPS baseline changes for the detection of the active fault segment at the Red River fault zone (Zhao, S.), **122,** 70

Fault slip

Evaluation of the applicability of the time- and slip-predictable earthquake recurrence models to Italian seismicity (Mulargia, F., Gasperini, P.), **120,** 453
Tectonic regime and slip orientation of reactivated faults (Célérier, B.), **121,** 143
Finite-fault analysis of the 1979 March 14 Petatlan, Mexico, earthquake using teleseismic *P* waveforms (Mendoza, C.), **121,** 675

Fault tectonics

Crustal structure of the Middle Urals based on reprocessing of Russian seismic reflection data (Steer, D.N., Knapp, J.H., Brown, L.D., Rybalka, A.V., Sokolov, V.B.), **123,** 673

Fault-plane solutions

Fault-plane solutions of the Deka Fault zone and mid-Zambezi Valley (Hlatywayo, D.J.), **120,** 567
Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes (Comte, D., Suárez, G.), **122,** 419
Estimate of the stress field in Kilauea's south flank (Liang, B., Kisslinger, C., Bryan, C.), **123,** 213
Absolute and relative locations of similar events with application to microearthquakes in southern Iceland (Slunga, R., Rögnvaldsson, S.Th., Bödvarsson, R.), **123,** 409
Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps (Maurer, H., Deichmann, N.), **123,** 588

Faulting

Palaeomagnetism and K-Ar dating of Pleistocene volcanic rocks along the Altyn Tagh fault, northern border of Tibet (Otofuji, Y., Itaya, T., Wang, H.C., Nohda, S.), **120,** 367
Partitioning of crustal slip between linked, active faults in the eastern Qilian Shan, and evidence for a major seismic gap, the 'Tianzhu gap', on the western Haiyuan Fault, Gansu (China) (Gaudemer, Y., Tapponnier, P., Meyer, B., Peltzer, G., Shunmin, G., Zhitai, C., Huagung, D., Cifuentes, I.), **120,** 599
Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms (Abers, G.A., Hu, X., Sykes, L.R.), **123,** 41
Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere (Belardinelli, M.E., Bonafede, M.), **123,** 744

Finite-difference methods

Heterogeneous formulations of elastodynamic equations and finite-difference schemes (Zahradník, J., Priolo, E.), **120,** 663
North Sea pole tide dynamics (Xie, L., Dickman, S.R.), **121,** 117
3-D finite-difference reflection traveltimes (Hole, J.A., Zelt, B.C.), **121,** 427
Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave (Olsen, K.B., Schuster, G.T.), **122,** 1045
A 3-D finite-difference algorithm for DC resistivity modelling using conjugate gradient methods (Spitzer, K.), **123,** 903

Flinn–Engdahl Regionalization Scheme

The political subdivision of Southeast Asia and Northwest Africa in the Flinn–Engdahl Regionalization Scheme (Young, J.B., Presgrave, B.W.), **123,** 623

Flow imaging

Experiments on precessing flows in the Earth's liquid core (Vanyo, J., Wilde, P., Cardin, P., Olson, P.), **121,** 136
Secondary migration of hydrocarbons in inclined layers (Wangen, M.), **121,** 663

Foreshocks

Statistical features of foreshocks in comparison with other earthquake clusters (Ogata, Y., Utsu, T., Katsura, K.), **121,** 233

Fourier transforms

Modelling elastic-wave propagation in inhomogeneous anisotropic media by the pseudo-spectral method (Lou, M., Rial, J.A.), **120,** 60

Linearized inversion of 3-D multi-offset data: background reconstruction and AVO inversion (Ikelle, L.T.), **123,** 507

Fractals

Multifractal analysis of earthquake catalogues (Godano, C., Caruso, V.), **121,** 385
Effect of seismic coupling on the scaling of seismicity (Wang, J.-H.), **121,** 475
Multifractal scaling properties of a growing fault population (Cowie, P.A., Sornette, D., Vanneste, C.), **122,** 457

Fractures

The cause of frequency-dependent seismic absorption in crustal rock (Leary, P.C.), **122,** 143
Fracture growth—I. Formulation and implementations (Wei, K., De Bremaecker, J.-Cl.), **122,** 735
Fracture growth—II. Case studies (Wei, K., De Bremaecker, J.-Cl.), **122,** 746

Fram Strait

New geophysical results from the south-western Eurasian Basin (Morris Jesup Rise, Gakkel Ridge, Yermak Plateau) and the Fram Strait (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **123,** 601

France

Massif Central (France): new constraints on the geodynamical evolution from teleseismic tomography (Granet, M., Stoll, G., Dorel, J., Achauer, U., Poupinet, G., Fuchs, K.), **121,** 33
The Late Carboniferous to Early Triassic geodynamic evolution of Variscan Europe in the light of magnetic overprints in Early Permian rhyolites from the northern Vosges (France) and central Black Forest (Germany) (Edel, J.B., Schneider, J.L.), **122,** 858

Free oscillations

Asymptotic normal modes of the Earth—II. Eigenfunctions (Zhao, L., Dahlen, F.A.), **121,** 585
Asymptotic normal modes of the Earth—III. Fréchet kernel and group velocity (Zhao, L., Dahlen, F.A.), **122,** 299

Gaussian-beam method

Time-domain modelling of *PKIKP* precursors for constraints on the heterogeneity in the lowermost mantle (Cormier, V.F.), **121,** 725
Seismic modelling over 3-D homogeneous layered structures—summation of Gaussian beams (Wang, T.K., Waltham, D.A.), **122,** 161

Geodynamics

On lateral viscosity contrast in the mantle and the rheology of low-frequency geodynamics (Ivins, E.R., Sammis, C.G.), **123,** 305

Geoid

Mantle dynamics and geoid Green functions (Corrieu, V., Thoraval, C., Ricard, Y.), **120,** 516
Gravity anomalies derived from Seasat, Geosat, ERS-1 and TOPEX/POSEIDON altimetry and ship gravity: a case study over the Reykjanes Ridge (Hwang, C., Parsons, B.), **122,** 551
Radial models of mantle viscosity: results from a genetic algorithm (King, S.D.), **122,** 725
Topography and geoid due to lithospheric mass anomalies (Le Stunff, Y., Ricard, Y.), **122,** 982

Geoid anomalies

A 3-D dynamic model for the anomalous topography and geoid over the south-east Indian Ridge (Kuo, B.-Y., Hung, S.-H., Chiao, L.-Y.), **121,** 1

Geomagnetic field

A discussion of the uniqueness of a Laplacian potential when given only partial field information on a sphere (Lowes, F.J., De Santis, A., Duka, B.), **121,** 579
Geomagnetic field analysis—V. Determining steady core-surface flows directly from geomagnetic observations (Waddington, R., Gubbins, D., Barber, N.), **122,** 326

Geomagnetic variation

Seasonal and sunspot-cycle changes in the day-to-day variability of *Sq* (Schlapp, D.M., Butcher, E.C.), **120,** 173
Analysis of geomagnetic variations in south-western Nigeria (Ogunade, S.O.), **121,** 162
Optimal piecewise regression analysis and its application to geomagnetic time series (Stewart, D.N., Whaler, K.A.), **121,** 710

Geomagnetism

The time-averaged geomagnetic field as recorded by lava flows over the past 5 Myr (Johnson, C.L., Constable, C.G.), **122,** 489
Lunar daily geomagnetic variations in New Zealand (McKnight, J.D.), **122,** 889
Revisiting the initial sites of geomagnetic field impulses during the Steens Mountain polarity reversal (Camps, P., Prévot, M., Coe, R.S.), **123,** 484
Computer production of *K* indices: review and comparison of methods (Menvielle, M., Papitashvili, N., Häkkinen, L., Sucksdorff, C.), **123,** 866

Germany

Palaeointensity study of Quaternary East Eifel phonolitic rocks (Germany) (Schnepp, E.), **121,** 627
A geomagnetic event recorded in loess deposits of the Tönchesberg (Germany): identification of the Blake magnetic polarity episode (Reinders, J., Hambach, U.), **122,** 407
Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617
The Late Carboniferous to Early Triassic geodynamic evolution of Variscan Europe in the light of magnetic overprints in Early Permian rhyolites from the northern Vosges (France) and central Black Forest (Germany) (Edel, J.B., Schneider, J.L.), **122,** 858

Glacial rebound

The viscoelastic relaxation of a realistically stratified earth, and a further analysis of postglacial rebound (Han, D., Wahr, J.), **120,** 287
Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region (Mitrovica, J.X., Peltier, W.R.), **122,** 353

Gondwana

Palaeomagnetism of the Silurian Lipeón formation, NW Argentina, and the Gondwana apparent polar wander path (Conti, C.M., Rapalini, A.E., Vilas, J.F.), **121,** 848

Gravity

Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin (Louden, K.E.), **120,** 375

Laboratory calibration of Lacoste–Romberg type gravimeters by using a heavy cylindrical ring (Varga, P., Hajósy, A., Csapó, G.), **120,** 745
The relative variation of the vertical gravity gradient on the level ellipsoid (Bocchio, F.), **121,** 576
Joint inversion of observed gravity and GPS baseline changes for the detection of the active fault segment at the Red River fault zone (Zhao, S.), **122,** 70
Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617
Global gravitational changes due to atmospheric mass redistribution as observed by the Lageos nodal residual (Chao, B.F., Eanes, R.), **122,** 755
Non-linear tides observed with the superconducting gravimeter (Merriam, J.B.), **123,** 529
Numerical stability of the least-squares solution to the discrete altimetry–gravimetry boundary-value problem for determination of the global gravity model (Martinec, Z.), **123,** 715

Gravity anomalies

The viscoelastic relaxation of a realistically stratified earth, and a further analysis of postglacial rebound (Han, D., Wahr, J.), **120,** 287
Gravity anomalies derived from Seasat, Geosat, ERS-1 and TOPEX/POSEIDON altimetry and ship gravity: a case study over the Reykjanes Ridge (Hwang, C., Parsons, B.), **122,** 551
Displacement and gravity anomaly produced by a shallow vertical dyke in a cohesionless medium (Bonafede, M., Olivieri, M.), **123,** 639

Greece

Rotational deformation during Palaeogene thrusting and basin closure in eastern central Greece: palaeomagnetic evidence from Mesozoic carbonates (Morris, A.), **121,** 827
Coseismic crustal deformation from microseismicity in the Patras area, western Greece (Melis, N.S., Burton, P.W., Brooks, M.), **122,** 815
Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions (Lambeck, K.), **122,** 1022
Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area (Burton, P.W., Melis, N.S., Brooks, M.), **123,** 16

Green's functions

Mantle dynamics and geoid Green functions (Corrieu, V., Thoraval, C., Ricard, Y.), **120,** 516
Mechanisms of local earthquakes in 3-D inhomogeneous media determined by waveform inversion (Šílený, J., Pšenčík, I.), **121,** 459
Multipolar elastic fields in homogeneous isotropic media by higher-order ray approximations (Vavryčuk, V., Yomogida, K.), **121,** 925
Complete synthetic seismograms for a spherically symmetric earth by a numerical computation of the Green's function in the frequency domain (Friederich, W., Dalkolmo, J.), **122,** 537
Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms (Abers, G.A., Hu, X., Sykes, L.R.), **123,** 41

Hawaii

Multifractal analysis of earthquake catalogues (Godano, C., Caruso, V.), **121,** 385
Modelling of near-surface seismic structure beneath Hawaii using reverberations (Li, Y., Thurber, C.H.), **122,** 441
Estimate of the stress field in Kilauea's south flank (Liang, B., Kisslinger, C., Bryan, C.), **123,** 213

Heat flow

Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem (Lister, C.R.B.), **120,** 45
Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
Effect of thermal conductivity anisotropy of rocks on the subsurface temperature field (Šafanda, J.), **120,** 323
East African earthquakes below 20 km depth and their implications for crustal structure (Nyblade, A.A., Langston, C.A.), **121,** 49
Heat flow and regional uplift at the north-eastern border of the Ebro basin, NE Spain (Cabal, J., Fernàndez, M.), **121,** 393
Ground temperature history in central Europe from borehole temperature data (Clauser, C., Mareschal, J.-C.), **121,** 805
Thermal diffusivity of olivine under upper mantle conditions (Katsura, T.), **122,** 63
Movement of the lithosphere–asthenosphere interface in response to erosion of thickened continental lithosphere: a moving boundary approach (Manglik, A., Gliko, A.O., Singh, R.N.), **122,** 479

Himalayan Mountain Range

Secondary palaeoremanence of Tethyan sediments from the Zanskar Range (NW Himalaya) (Appel, E., Patzelt, A., Chouker, C.), **122,** 227

Hotspots

Deep structure of the northern Kerguelen Plateau and hotspot-related activity (Charvis, P., Recq, M., Operto, S., Brefort, D.), **122,** 899

Hydrodynamics

Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem (Lister, C.R.B.), **120,** 45

Iceland

New palaeomagnetic results from Icelandic Neogene lavas (Kristjansson, L.), **121,** 435
Seismic attenuation in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Levin, V., Sethi, R.), **122,** 175
Absolute and relative locations of similar events with application to microearthquakes in southern Iceland (Slunga, R., Rögnvaldsson, S.Th., Bödvarsson, R.), **123,** 409

India

Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin (Louden, K.E.), **120,** 375
Atmospheric electrical conductivity variations over different environments (Kumar, V.S., Sampath, S., Das, S.M., Kumar, K.V.), **122,** 89

Induction effects

On induction effects at EISCAT and IMAGE magnetometer stations (Viljanen, A., Kauristie, K., Pajunpää, K.), **121,** 893

Inhomogeneous media

Modelling elastic-wave propagation in inhomogeneous anisotropic media by the pseudo-spectral method (Lou, M., Rial, J.A.), **120,** 60
Method for solution of Maxwell's equations in non-uniform media (Singer, B.Sh.), **120,** 590
3-D finite-difference reflection traveltimes (Hole, J.A., Zelt, B.C.), **121,** 427
Formulation of the multiple non-isotropic scattering process in 3-D space on the basis of energy transport theory (Sato, H.), **121,** 523
The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements (Kneib, G.), **122,** 594
Evidence for normal and inhomogeneous lowermost mantle and core–mantle boundary structure under the Arctic and northern

Canada (Krüger, F., Weber, M., Scherbaum, F., Schlittenhardt, J.), **122,** 637

Instrumentation

Global observation of off-great-circle propagation of long-period surface waves (Laske, G.), **123,** 245

Integral transforms

Electromagnetic modelling of buried line conductors using an integral equation (Qian, W., Boerner, D.E.), **121,** 203

Inverse problem

Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases (Marquering, H., Snieder, R.), **120,** 186
Relative-error-based non-linear inversion: application to seismic traveltime tomography (Cao, S., Greenhalgh, S.), **121,** 684
Non-linear multiparameter inversion using a hybrid global search algorithm: applications in reflection seismology (Liu, P., Hartzell, S., Stephenson, W.), **122,** 991
Multiwavelet spectral and polarization analyses of seismic records (Lilly, J.M., Park, J.), **122,** 1001
A transformational approach to geophysical inverse problems (Vasco, D.W.), **123,** 183
Bounds on local averages of one-dimensional electrical conductivity distributions (Weidelt, P.), **123,** 683

Inversion

P-wave array polarization analysis and effective anisotropy of the brittle crust (Bokelmann, G.H.R.), **120,** 145
High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada (Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C.), **120,** 406
Interpretation of seismic surface waves in regional networks: joint estimation of wavefield geometry and local phase velocity. Method and numerical tests (Friederich, W., Wielandt, E.), **120,** 731
Massif Central (France): new constraints on the geodynamical evolution from teleseismic tomography (Granet, M., Stoll, G., Dorel, J., Achauer, U., Poupinet, G., Fuchs, K.), **121,** 33
Inversion of 3-D structural geometry using geological least-squares criteria (Léger, M., Morvan, J.-M., Rakotoarisoa, H.), **121,** 63
Formalism for traveltime inversion with finite frequency effects (Tanimoto, T.), **121,** 103
Estimation of resolution and covariance for large matrix inversions (Zhang, J., McMechan, G.A.), **121,** 409
Comparison of global waveform inversions with and without considering cross-branch modal coupling (Li, X.-D., Romanowicz, B.), **121,** 695
Joint inversion of observed gravity and GPS baseline changes for the detection of the active fault segment at the Red River fault zone (Zhao, S.), **122,** 70
Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region (Mitrovica, J.X., Peltier, W.R.), **122,** 353
Shear-wave velocity in the south-eastern Brazilian continental shelf (de Souza, J.L.), **122,** 691
Non-linear multiparameter inversion using a hybrid global search algorithm: applications in reflection seismology (Liu, P., Hartzell, S., Stephenson, W.), **122,** 991
Subspace inversion of electromagnetic data application to mid-ocean-ridge exploration (Unsworth, M., Oldenburg, D.), **123,** 161
The contrast in upper mantle shear-wave velocity between the East European Platform and tectonic Europe obtained with genetic algorithm inversion of Rayleigh-wave group dispersion (Lomax, A., Snieder, R.), **123,** 169
Linearized inversion of 3-D multi-offset data: background reconstruction and AVO inversion (Ikelle, L.T.), **123,** 507
Seismic velocity structure of oceanic crust by inversion using genetic algorithms (Drijkoningen, G.G., White, R.S.), **123,** 653

Ionosphere

On induction effects at EISCAT and IMAGE magnetometer stations (Viljanen, A., Kauristie, K., Pajunpää, K.), **121,** 893

Isostasy

Heat flow and regional uplift at the north-eastern border of the Ebro basin, NE Spain (Cabal, J., Fernàndez, M.), **121,** 393
Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models (Breuer, D., Wolf, D.), **121,** 775
Topography and geoid due to lithospheric mass anomalies (Le Stunff, Y., Ricard, Y.), **122,** 982
Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions (Lambeck, K.), **122,** 1022

Isotropy

Sensitivity of *qP*-wave traveltimes and polarization vectors to heterogeneity, anisotropy and interfaces (Farra, V., Le Bégat, S.), **121,** 371

Italy

Evaluation of the applicability of the time- and slip-predictable earthquake recurrence models to Italian seismicity (Mulargia, F., Gasperini, P.), **120,** 453
Constraints on the shallow crustal model of the Northern Apennines (Italy) from the analysis of microearthquake seismic records (Zollo, A., De Matteis, R., Capuano, P., Ferulano, F., Iannaccone, G.), **120,** 646
Multifractal analysis of earthquake catalogues (Godano, C., Caruso, V.), **121,** 385
Palaeomagnetism and rock magnetism in the upper Pliocene Valle Ricca (Rome, Italy) section (Florindo, F., Sagnotti, L.), **123,** 340

Japan

Evidence for a seismic attenuation anomaly beneath the Hida Mountain Range, Central Honshu, Japan (Katsumata, K., Urabe, T., Mizoue, M.), **120,** 237
Shear-wave polarization anisotropy beneath the north-eastern part of Honshu (Okada, T., Matsuzawa, T., Hasegawa, A.), **123,** 781

Kazakhstan

Palaeomagnetism of Permian red beds from south Kazakhstan: DRM inclination error or CRM shallowed directions? (Bazhenov, M.L., Klishevich, V.L., Tselmovich, V.A.), **120,** 445

Kerguelen Isles

Deep structure of the northern Kerguelen Plateau and hotspot-related activity (Charvis, P., Recq, M., Operto, S., Brefort, D.), **122,** 899

Lateral heterogeneity

Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models (Breuer, D., Wolf, D.), **121,** 775
Approximations for surface-wave propagation in laterally varying media (Kennett, B.L.N.), **122,** 470
Validity of surface-wave ray theory on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **123,** 757

Layered media

DSM synthetic seismograms using analytic trial functions: plane-layered, isotropic, case (Geller, R.J., Hatori, T.), **120,** 163
Global post-seismic deformation (Piersanti, A., Spada, G., Sabadini, R., Bonafede, M.), **120,** 544
Velocity and attenuation of elastic waves in finely layered porous rocks (Gurevich, B., Lopatnikov, S.L.), **121,** 933
Mathematical modelling of gravitational compaction and clay dehydration in thick sediment layers (Audet, D.M.), **122,** 283
The time-domain magnetotelluric response over three-layer earth models (Singh, R.P., Kant, Y., Singh, U.K.), **123,** 125
Faraday resonance in thin sedimentary layers (Foda, M.A., Chang, Y.-H.), **123,** 559

Libya

The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, *M*=7.1 earthquake sequence (Suleiman, A.S., Doser, D.I.), **120,** 312

Lithosphere

Oblique convergence of the crust driven by basal forcing: implications for length-scales of deformation and strain partitioning in orogens (Ellis, S., Fullsack, P., Beaumont, C.), **120,** 24
Electrical resistivity model of the crust and upper mantle from a magnetotelluric survey through the central Pyrenees (Pous, J., Ledo, J., Marcuello, A., Daignières, M.), **121,** 750
Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models (Breuer, D., Wolf, D.), **121,** 775
3-D density model for the lithosphere of Europe: construction method and preliminary results (Yegorova, T.P., Kozlenko, V.G., Pavlenkova, N.I., Starostenko, V.I.), **121,** 873
Relative importance of strain rate and rheology for the mode of continental extension (Bassi, G.), **122,** 195
Movement of the lithosphere–asthenosphere interface in response to erosion of thickened continental lithosphere: a moving boundary approach (Manglik, A., Gliko, A.O., Singh, R.N.), **122,** 479
Crustal structure and dynamics in the Rhine Graben and the Alpine foreland (Gutscher, M.-A.), **122,** 617
Topography and geoid due to lithospheric mass anomalies (Le Stunff, Y., Ricard, Y.), **122,** 982
Blockage of regional seismic waves by the Teisseyre–Tornquist zone (Schweitzer, J.), **123,** 260
Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere (Belardinelli, M.E., Bonafede, M.), **123,** 744

Lithospheric deformation

An arbitrary Lagrangian–Eulerian formulation for creeping flows and its application in tectonic models (Fullsack, P.), **120,** 1
On the reliability of lithospheric constraints derived from models of outer-rise flexure (Mueller, S., Phillips, R.J.), **123,** 887

Love waves

Characteristics of surface waves generated by events on and near the Chinese nuclear test site (Levshin, A.L., Ritzwoller, M.H.), **123,** 131

Magma flow

Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem (Lister, C.R.B.), **120,** 45
Displacement and gravity anomaly produced by a shallow vertical dyke in a cohesionless medium (Bonafede, M., Olivieri, M.), **123,** 639

Magnetic anomalies

Magnetic damping of the translational oscillations of the inner core (Buffett, B.A., Goertz, D.E.), **120,** 103
Spreading-rate-dependent magnetization of the oceanic lithosphere inferred from the anomalous skewness of marine magnetic anomalies (Dyment, J., Arkani-Hamed, J.), **121,** 789
The intermediate-wavelength magnetic anomaly maps of the North Atlantic Ocean derived from satellite and shipborne data (Arkani-Hamed, J., Verhoef, J., Roest, W., Macnab, R.), **123,** 727
Geomagnetism and age study of Tyrrhenian seamounts (Faggion, O., Pinna, E., Savelli, C., Schreider, A.A.), **123,** 915

Magnetic instabilities

The effect of a finitely conducting layer in the mantle on magnetic instability in the core (Lamb, C.J.), **121,** 763

Magnetic susceptibility

Pedogenic and lithogenic contributions to the magnetic susceptibility record of the Chinese loess/palaeosol sequence (Fine, P., Verosub, K.L., Singer, M.J.), **122,** 97
Rock-magnetic proxies of climate change in the loess–palaeosol sequences of the western Loess Plateau of China (Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T.), **123,** 232
Age models, sediment fluxes and palaeoclimatic reconstructions for the Chinese loess and palaeosol sequences (Thompson, R., Maher, B.A.), **123,** 611

Magnetite

Effects of weathering on single-domain magnetite in Early Pliocene marine marls (van Velzen, A.J., Zijderveld, J.D.A.), **121,** 267

Magnetization

The Late Carboniferous to Early Triassic geodynamic evolution of Variscan Europe in the light of magnetic overprints in Early Permian rhyolites from the northern Vosges (France) and central Black Forest (Germany) (Edel, J.B., Schneider, J.L.), **122,** 858

Magnetostratigraphy

Palaeomagnetism and rock magnetism in the upper Pliocene Valle Ricca (Rome, Italy) section (Florindo, F., Sagnotti, L.), **123,** 340

Magnetotellurics

Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada (Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C.), **120,** 406
Electrical resistivity model of the crust and upper mantle from a magnetotelluric survey through the central Pyrenees (Pous, J., Ledo, J., Marcuello, A., Daignières, M.), **121,** 750
Understanding telluric distortion matrices (Smith, J.T.), **122,** 219
Inversion for regional 2-D resistivity structure in the presence of galvanic scatterers (deGroot-Hedlin, C.), **122,** 877
The time-domain magnetotelluric response over three-layer earth models (Singh, R.P., Kant, Y., Singh, U.K.), **123,** 125
Bounds on local averages of one-dimensional electrical conductivity distributions (Weidelt, P.), **123,** 683

Magsat

The intermediate-wavelength magnetic anomaly maps of the North

Atlantic Ocean derived from satellite and shipborne data (Arkani-Hamed, J., Verhoef, J., Roest, W., Macnab, R.), **123,** 727

Mantle

Oblique convergence of the crust driven by basal forcing: implications for length-scales of deformation and strain partitioning in orogens (Ellis, S., Fullsack, P., Beaumont, C.), **120,** 24
Mantle dynamics and geoid Green functions (Corrieu, V., Thoraval, C., Ricard, Y.), **120,** 516
Massif Central (France): new constraints on the geodynamical evolution from teleseismic tomography (Granet, M., Stoll, G., Dorel, J., Achauer, U., Poupinet, G., Fuchs, K.), **121,** 33
Inhomogeneities of the Eurasian mantle structure from the traveltimes of the nuclear explosions recorded by the Finnish seismic network during 1961–1985 (Grad, M., Krzyżanowska, M., Pirhonen, S.E.), **121,** 863
Forced nutations of a rigid mantle–liquid core earth model in canonical formulation (Getino, J.), **122,** 803
Evidence for proportionality of *P* and *S* heterogeneity in the lower mantle (Robertson, G.S., Woodhouse, J.H.), **123,** 85
The contrast in upper mantle shear-wave velocity between the East European Platform and tectonic Europe obtained with genetic algorithm inversion of Rayleigh-wave group dispersion (Lomax, A., Snieder, R.), **123,** 169
Shear-wave polarization anisotropy beneath the north-eastern part of Honshu (Okada, T., Matsuzawa, T., Hasegawa, A.), **123,** 781

Mantle discontinuities

The causes of the major seismic discontinuities in the transition zone of the Earth's mantle (Liu, L.), **121,** 404

Mantle viscosity

Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region (Mitrovica, J.X., Peltier, W.R.), **122,** 353
Radial models of mantle viscosity: results from a genetic algorithm (King, S.D.), **122,** 725
On lateral viscosity contrast in the mantle and the rheology of low-frequency geodynamics (Ivins, E.R., Sammis, C.G.), **123,** 305

Marine sediments

Effects of weathering on single-domain magnetite in Early Pliocene marine marls (van Velzen, A.J., Zijderveld, J.D.A.), **121,** 267

Mediterranean

Separation of scattering and intrinsic attenuation in southern Spain and western Anatolia (Turkey) (Akinci, A., Del Pezzo, E., Ibáñez, J.M.), **121,** 337
Seismic deformation in the Mediterranean area estimated by moment tensor summation (Pondrelli, S., Morelli, A., Boschi, E.), **122,** 938

Mexico

Finite-fault analysis of the 1979 March 14 Petatlan, Mexico, earthquake using teleseismic *P* waveforms (Mendoza, C.), **121,** 675
Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake (Novelo-Casanova, D.A.), **123,** 628

Microearthquakes

Constraints on the shallow crustal model of the Northern Apennines (Italy) from the analysis of microearthquake seismic records (Zollo, A., De Matteis, R., Capuano, P., Ferulano, F., Iannaccone, G.), **120,** 646
Coseismic crustal deformation from microseismicity in the Patras area, western Greece (Melis, N.S., Burton, P.W., Brooks, M.), **122,** 815
Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area (Burton, P.W., Melis, N.S., Brooks, M.), **123,** 16
Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps (Maurer, H., Deichmann, N.), **123,** 588
Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake (Novelo-Casanova, D.A.), **123,** 628

Mid-ocean ridges

A 3-D dynamic model for the anomalous topography and geoid over the south-east Indian Ridge (Kuo, B.-Y., Hung, S.-H., Chiao, L.-Y.), **121,** 1
Subspace inversion of electromagnetic data application to mid-ocean-ridge exploration (Unsworth, M., Oldenburg, D.), **123,** 161

Mineralogy

Rock-magnetic proxies of climate change in the loess–palaeosol sequences of the western Loess Plateau of China (Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T.), **123,** 232

Mode coupling

Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases (Marquering, H., Snieder, R.), **120,** 186
Comparison of global waveform inversions with and without considering cross-branch modal coupling (Li, X.-D., Romanowicz, B.), **121,** 695

Morocco

A Cambrian pole for the Moroccan Coastal Meseta (Khattach, D., Robardet, M., Perroud, H.), **120,** 132

Nigeria

Analysis of geomagnetic variations in south-western Nigeria (Ogunade, S.O.), **121,** 162

Normal faulting

Statistical test of the tidal triggering of earthquakes: contribution of the ocean tide loading effect (Tsuruoka, H., Ohtake, M., Sato, H.), **122,** 183

Normal modes

Some comments on the 3-D impulse response of a Maxwell viscoelastic earth (Mitrovica, J.X., Davis, J.L.), **120,** 227
Asymptotic normal modes of the Earth—II. Eigenfunctions (Zhao, L., Dahlen, F.A.), **121,** 585
Normal-mode splitting due to inner-core anisotropy (Tromp, J.), **121,** 963
Asymptotic normal modes of the Earth—III. Fréchet kernel and group velocity (Zhao, L., Dahlen, F.A.), **122,** 299
Validity of surface-wave ray theory on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **123,** 757

North America

Determining surface-wave magnitudes from regional Nevada Test Site data (Woods, B.B., Harkrider, D.G.), **120,** 474

Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms (Abers, G.A., Hu, X., Sykes, L.R.), **123,** 41
Numerical models of a subsidence mechanism in intracratonic basins: application to North American basins (Naimark, B.M., Ismail-Zadeh, A.T.), **123,** 149

North Atlantic

Non-linear tides observed with the superconducting gravimeter (Merriam, J.B.), **123,** 529
The intermediate-wavelength magnetic anomaly maps of the North Atlantic Ocean derived from satellite and shipborne data (Arkani-Hamed, J., Verhoef, J., Roest, W., Macnab, R.), **123,** 727

North Sea

North Sea pole tide dynamics (Xie, L., Dickman, S.R.), **121,** 117

Norway

S-wave anisotropy off Lofoten, Norway, indicative of fluids in the lower continental crust? (Mjelde, R., Sellevoll, M.A., Shimamura, H., Iwasaki, T., Kanazawa, T.), **120,** 87
Palaeomagnetic cave stratigraphy of sediments from Hellemofjord, northern Norway (Løvlie, R., Ellingsen, K.L., Lauritzen, S.-E.), **120,** 499
Seismic-source and wave-propagation effects of L_g waves in Scandinavia (Kvamme, L.B., Hansen, R.A., Bungum, H.), **120,** 525
Crustal structure of the Lofoten continental margin, off northern Norway, from ocean-bottom seismographic studies (Kodaira, S., Goldschmidt-Rokita, A., Hartmann, J.M., Hirschleber, H.B., Iwasaki, T., Kanazawa, T., Krahn, H., Tomita, S., Shimamura, H.), **121,** 907

Nova Scotia

A Cambrian pole for the Moroccan Coastal Meseta (Khattach, D., Robardet, M., Perroud, H.), **120,** 132

Nuclear explosions

Determining surface-wave magnitudes from regional Nevada Test Site data (Woods, B.B., Harkrider, D.G.), **120,** 474
Inhomogeneities of the Eurasian mantle structure from the traveltimes of the nuclear explosions recorded by the Finnish seismic network during 1961–1985 (Grad, M., Krzyżanowska, M., Pirhonen, S.E.), **121,** 863
Characteristics of surface waves generated by events on and near the Chinese nuclear test site (Levshin, A.L., Ritzwoller, M.H.), **123,** 131

Numerical techniques

Geophysical parametrization and interpolation of irregular data using natural neighbours (Sambridge, M., Braun, J., McQueen, H.), **122,** 837
Numerical modelling of melting processes and induced diapirism in the lower crust (Bittner, D., Schmeling, H.), **123,** 59
Numerical models of a subsidence mechanism in intracratonic basins: application to North American basins (Naimark, B.M., Ismail-Zadeh, A.T.), **123,** 149
A new method for computing highly accurate DSM synthetic seismograms (Geller, R.J., Takeuchi, N.), **123,** 449
Seismic velocity structure of oceanic crust by inversion using genetic algorithms (Drijkoningen, G.G., White, R.S.), **123,** 653

Nutation

Forced nutations of a rigid mantle–liquid core earth model in canonical formulation (Getino, J.), **122,** 803

Oceanic crust

Crustal structure of the Lofoten continental margin, off northern Norway, from ocean-bottom seismographic studies (Kodaira, S., Goldschmidt-Rokita, A., Hartmann, J.M., Hirschleber, H.B., Iwasaki, T., Kanazawa, T., Krahn, H., Tomita, S., Shimamura, H.), **121,** 907
Seismic velocity structure of oceanic crust by inversion using genetic algorithms (Drijkoningen, G.G., White, R.S.), **123,** 653

Oceanic lithosphere

Spreading-rate-dependent magnetization of the oceanic lithosphere inferred from the anomalous skewness of marine magnetic anomalies (Dyment, J., Arkani-Hamed, J.), **121,** 789
On the reliability of lithospheric constraints derived from models of outer-rise flexure (Mueller, S., Phillips, R.J.), **123,** 887

Ophiolites

Palaeomagnetic investigations of the Palaeozoic circum-Sowie Góry Mountains ophiolitic belt in the Sudetes (Jeleńska, M., Kądziałko-Hofmokl, M., Edel, J.B., Jamrozik, L., Petersen, N., Soffel, H.), **122,** 658

***P* waves**

sP depth phase at small epicentral distances and estimated subducting plate boundary (Umino, N., Hasegawa, A., Matsuzawa, T.), **120,** 356
Finite-fault analysis of the 1979 March 14 Petatlan, Mexico, earthquake using teleseismic *P* waveforms (Mendoza, C.), **121,** 675
Constraints on seismic velocities in the Earth from traveltimes (Kennett, B.L.N., Engdahl, E.R., Buland, R.), **122,** 108
Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave (Olsen, K.B., Schuster, G.T.), **122,** 1045
Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions (Clouser, R.H., Langston, C.A.), **123,** 541

Pacific Ocean

sP depth phase at small epicentral distances and estimated subducting plate boundary (Umino, N., Hasegawa, A., Matsuzawa, T.), **120,** 356

Pacific region

Ruptures of deep-focus earthquakes in the north-western Pacific and their implications on seismogenesis (Glennon, M.A., Chen, W.-P.), **120,** 706
Magnitudes of Central American earthquakes 1898–1930 (Ambraseys, N.N.), **121,** 545
The temporal distribution of aftershock sequences in the subduction zones of the Pacific (Tsapanos, T.M.), **123,** 633

Palaeoclimate

Pedogenic and lithogenic contributions to the magnetic susceptibility record of the Chinese loess/palaeosol sequence (Fine, P., Verosub, K.L., Singer, M.J.), **122,** 97
Age models, sediment fluxes and palaeoclimatic reconstructions for the Chinese loess and palaeosol sequences (Thompson, R., Maher, B.A.), **123,** 611

Palaeogeography

A Cambrian pole of the Moroccan Coastal Meseta (Khattach, D., Robardet, M., Perroud, H.), **120,** 132
Upper Ordovician palaeogeography of the Bohemian Massif:

implications for Armorica (Tait, J., Bachtadse, V., Soffel, H.), **122,** 211
Early Proterozoic palaeomagnetic data from the Pechenga Zone (north-west Russia) and their bearing on Early Proterozoic palaeogeography (Torsvik, T.H., Meert, J.G.), **122,** 520

Palaeointensity

Some global features of palaeointensity in geological time (Tanaka, H., Kono, M., Uchimura, H.), **120,** 97
Palaeointensity study of Quaternary East Eifel phonolitic rocks (Germany) (Schnepp, E.), **121,** 627
Evidence for the existence of a transitional geomagnetic field recorded in a Proterozoic lava succession (Thomas, D.N., Piper, J.D.A.), **122,** 266
Palaeointensity results from the Permo-Carboniferous (Kiaman) reversed superchron: the Great Whin and Midland Valley sills of the northern United Kingdom (Thomas, D.N., Rolph, T.C., Shaw, J.), **123,** 798

Palaeolatitude

A Cambrian pole for the Moroccan Coastal Meseta (Khattach, D., Robardet, M., Perroud, H.), **120,** 132

Palaeomagnetism

A Cambrian pole for the Moroccan Coastal Meseta (Khattach, D., Robardet, M., Perroud, H.), **120,** 132
The palaeomagnetism of middle Proterozoic dyke swarms of the Gardar Province and Mesozoic dykes in SW Greenland (Piper, J.D.A.), **120,** 339
Palaeomagnetism and K-Ar dating of Pleistocene volcanic rocks along the Altyn Tagh fault, northern border of Tibet (Otofuji, Y., Itaya, T., Wang, H.C., Nohda, S.), **120,** 367
A new Late Triassic–Liasic Palaeomagnetic pole from superimposed and juxtaposed magnetizations in the Saharan craton (Kies, B., Henry, B., Merabet, N., Derder, M.M., Daly, L.), **120,** 433
Palaeomagnetism of Permian red beds from south Kazakhstan: DRM inclination error or CRM shallowed directions? (Bazhenov, M.L., Klishevich, V.L., Tselmovich, V.A.), **120,** 445
Palaeomagnetic cave stratigraphy of sediments from Hellemofjord, northern Norway (Løvlie, R., Ellingsen, K.L., Lauritzen, S.-E.), **120,** 499
New palaeomagnetic results from Icelandic Neogene lavas (Kristjansson, L.), **121,** 435
Palaeointensity study of Quaternary East Eifel phonolitic rocks (Germany) (Schnepp, E.), **121,** 627
Rotational deformation during Palaeogene thrusting and basin closure in eastern central Greece: palaeomagnetic evidence from Mesozoic carbonates (Morris, A.), **121,** 827
Palaeomagnetism of the Silurian Lipeón formation, NW Argentina, and the Gondwana apparent polar wander path (Conti, C.M., Rapalini, A.E., Vilas, J.F.), **121,** 848
Palaeomagnetism of Proterozoic dykes from Bornholm, Denmark (Abrahamsen, N., Lewandowski, M.), **121,** 949
Upper Ordovician palaeogeography of the Bohemian Massif: implications for Armorica (Tait, J., Bachtadse, V., Soffel, H.), **122,** 211
Secondary palaeoremanence of Tethyan sediments from the Zanskar Range (NW Himalaya) (Appel, E., Patzelt, A., Chouker, C.), **122,** 227
Evidence for the existence of a transitional geomagnetic field recorded in a Proterozoic lava succession (Thomas, D.N., Piper, J.D.A.), **122,** 266
Anomalously shallow palaeomagnetic inclinations and the question of the age of the Canarian Archipelago (Carracedo, J.C., Soler, V.), **122,** 393
A geomagnetic event recorded in loess deposits of the Tönchesberg (Germany): identification of the Blake magnetic polarity episode (Reinders, J., Hambach, U.), **122,** 407
The time-averaged geomagnetic field as recorded by lava flows over the past 5 Myr (Johnson, C.L., Constable, C.G.), **122,** 489
Early Proterozoic palaeomagnetic data from the Pechenga Zone (north-west Russia) and their bearing on Early Proterozoic palaeogeography (Torsvik, T.H., Meert, J.G.), **122,** 520
Palaeomagnetic investigations of the Palaeozoic circum-Sowie Góry Mountains ophiolitic belt in the Sudetes (Jeleńska, M., Kądziałko-Hofmokl, M., Edel, J.B., Jamrozik, L., Petersen, N., Soffel, H.), **122,** 658
Revisiting the initial sites of geomagnetic field impulses during the Steens Mountain polarity reversal (Camps, P., Prévot, M., Coe, R.S.), **123,** 484

Pannonian Basin

Neural network analyses of stress-induced overpressures in the Pannonian Basin (Van Balen, R., Cloetingh, S.), **121,** 532

Papua New Guinea

A seismological study of the eastern New Guinea and the western Solomon Sea regions and its tectonic implications (Pegler, G., Das, S., Woodhouse, J.H.), **122,** 961

Permeability

Deformation parameters of permeable media (Hickey, C.J., Spanos, T.J.T., de la Cruz, V.), **121,** 359

Perturbation

Magnetic damping of the translational oscillations of the inner core (Buffett, B.A., Goertz, D.E.), **120,** 103

Perturbation methods

Formalism for traveltime inversion with finite frequency effects (Tanimoto, T.), **121,** 103
Sensitivity of *qP*-wave traveltimes and polarization vectors to heterogeneity, anisotropy and interfaces (Farra, V., Le Bégat, S.), **121,** 371

Phase transitions

Shock compression and isentropic release of granite (Sekine, T., Duffy, T.S., Rubin, A.M., Anderson, W.W., Ahrens, T.J.), **120,** 247
α/β phase transition in quartz monitored using acoustic emissions (Glover, P.W.J., Baud, P., Darot, M., Meredith, P.G., Boon, S.A., LeRavalec, M., Zoussi, S., Reuschlé, T.), **120,** 775
The causes of the major seismic discontinuities in the transition zone of the Earth's mantle (Liu, L.), **121,** 404
A hypothesis for the seismogenesis of a double seismic zone (Kao, H., Liu, L.), **123,** 71
Numerical models of a subsidence mechanism in intracratonic basins: application to North American basins (Naimark, B.M., Ismail-Zadeh, A.T.), **123,** 149

Planetology

Variational methods to calculate the hydrostatic structure of rotating planets (Abad, S., Pacheco, A.F., Sañudo, J.), **122,** 953

Poland

Palaeomagnetic investigations of the Palaeozoic circum-Sowie Góry Mountains ophiolitic belt in the Sudetes (Jeleńska, M., Kądziałko-Hofmokl, M., Edel, J.B., Jamrozik, L., Petersen, N., Soffel, H.), **122,** 658

Polarization

P-wave array polarization analysis and effective anisotropy of the brittle crust (Bokelmann, G.H.R.), **120,** 145

Sensitivity of *qP*-wave traveltimes and polarization vectors to heterogeneity, anisotropy and interfaces (Farra, V., Le Bégat, S.), **121,** 371
Multiwavelet spectral and polarization analyses of seismic records (Lilly, J.M., Park, J.), **122,** 1001
Global observation of off-great-circle propagation of long-period surface waves (Laske, G.), **123,** 245
Anisotropy and non-linear polarization of body waves in exponentially heterogeneous media (Grechka, V.Y., McMechan, G.A.), **123,** 959

Porosity

Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
Velocity and attenuation of elastic waves in finely layered porous rocks (Gurevich, B., Lopatnikov, S.L.), **121,** 933

Pyrenees

Electrical resistivity model of the crust and upper mantle from a magnetotelluric survey through the central Pyrenees (Pous, J., Ledo, J., Marcuello, A., Daignières, M.), **121,** 750

Radiation patterns

Radiation of elastic waves from sources embedded in anisotropic inclusions (Ben-Menahem, A., Gibson, R.L., Jr), **122,** 249

Radioactivity

Atmospheric electrical conductivity variations over different environments (Kumar, V.S., Sampath, S., Das, S.M., Kumar, K.V.), **122,** 89

Ray theory

Multipolar elastic fields in homogeneous isotropic media by higher-order ray approximations (Vavryčuk, V., Yomogida, K.), **121,** 925

Ray tracing

An adaptive-grid formalism for traveltime tomography (Michelini, A.), **121,** 489
Time-domain modelling of *PKIKP* precursors for constraints on the heterogeneity in the lowermost mantle (Cormier, V.F.), **121,** 725
Cell ray tracing for smooth, isotropic media: a new concept based on a generalized analytic solution (Körnig, M.), **123,** 391

Rayleigh waves

Shear-wave velocity in the south-eastern Brazilian continental shelf (de Souza, J.L.), **122,** 691
Characteristics of surface waves generated by events on and near the Chinese nuclear test site (Levshin, A.L., Ritzwoller, M.H.), **123,** 131

Remanent magnetization

Palaeomagnetism of Permian red beds from south Kazakhstan: DRM inclination error or CRM shallowed directions? (Bazhenov, M.L., Klishevich, V.L., Tselmovich, V.A.), **120,** 445
Palaeomagnetic cave stratigraphy of sediments from Hellemofjord, northern Norway (Løvlie, R., Ellingsen, K.L., Lauritzen, S.-E.), **120,** 499
The roles of steady and alternating fields playing in the anhysteretic process (Liu, Z.), **121,** 354
A geomagnetic event recorded in loess deposits of the Tönchesberg (Germany): identification of the Blake magnetic polarity episode (Reinders, J., Hambach, U.), **122,** 407

Rheology

Relative importance of strain rate and rheology for the mode of continental extension (Bassi, G.), **122,** 195
On lateral viscosity contrast in the mantle and the rheology of low-frequency geodynamics (Ivins, E.R., Sammis, C.G.), **123,** 305
The singularity mystery associated with a radially continuous Maxwell viscoelastic structure (Fang, M., Hager, B.H.), **123,** 849

Rifts

Relative importance of strain rate and rheology for the mode of continental extension (Bassi, G.), **122,** 195

Rock fracture

SH propagation in rocks with planar fractures—I. Excess slowness (Frazer, L.N.), **122,** 33

Rock magnetism

Effects of weathering on single-domain magnetite in Early Pliocene marine marls (van Velzen, A.J., Zijderveld, J.D.A.), **121,** 267
Palaeomagnetism and rock magnetism in the upper Pliocene Valle Ricca (Rome, Italy) section (Florindo, F., Sagnotti, L.), **123,** 340

Russia

Early Proterozoic palaeomagnetic data from the Pechenga Zone (north-west Russia) and their bearing on Early Proterozoic palaeogeography (Torsvik, T.H., Meert, J.G.), **122,** 520
Crustal structure of the Middle Urals based on reprocessing of Russian seismic reflection data (Steer, D.N., Knapp, J.H., Brown, L.D., Rybalka, A.V., Sokolov, V.B.), **123,** 673

S waves

S-wave anisotropy off Lofoten, Norway, indicative of fluids in the lower continental crust? (Mjelde, R., Sellevoll, M.A., Shimamura, H., Iwasaki, T., Kanazawa, T.), **120,** 87
sP depth phase at small epicentral distances and estimated subducting plate boundary (Umino, N., Hasegawa, A., Matsuzawa, T.), **120,** 356
Separation of scattering and intrinsic attenuation in southern Spain and western Anatolia (Turkey) (Akinci, A., Del Pezzo, E., Ibáñez, J.M.), **121,** 337
Constraints on seismic velocities in the Earth from traveltimes (Kennett, B.L.N., Engdahl, E.R., Buland, R.), **122,** 108

Satellite altimetry

The accuracy and applications of satellite altimetry (Shum, C.K., Ries, J.C., Tapley, B.D.), **121,** 321

Satellites

Global gravitational changes due to atmospheric mass redistribution as observed by the Lageos nodal residual (Chao, B.F., Eanes, R.), **122,** 755

Scattering

Low-frequency elastic-wave scattering by an inclusion: limits of applications (Gritto, R., Korneev, V.A., Johnson, L.R.), **120,** 677
Elastic scattered waves from a continuous and heterogeneous layer (Li, X., Hudson, J.A.), **121,** 82
Separation of scattering and intrinsic attenuation in southern Spain and western Anatolia (Turkey) (Akinci, A., Del Pezzo, E., Ibáñez, J.M.), **121,** 337

Formulation of the multiple non-isotropic scattering process in 3-D space on the basis of energy transport theory (Sato, H.), **121,** 523
Time-domain modelling of *PKIKP* precursors for constraints on the heterogeneity in the lowermost mantle (Cormier, V.F.), **121,** 725
SH propagation in rocks with planar fractures—I. Excess slowness (Frazer, L.N.), **122,** 33
Quantifying crustal fracture heterogeneity by seismic scattering (Leary, P.C.), **122,** 125
The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements (Kneib, G.), **122,** 594
Multiple scattering of *SH* waves in 2-D elastic media with distributed cracks (Murai, Y., Kawahara, J., Yamashita, T.), **122,** 925
Relation between direct wave Q and coda Q: a numerical approach (Yomogida, K., Benites, R.), **123,** 471
Linearized inversion of 3-D multi-offset data: background reconstruction and AVO inversion (Ikelle, L.T.), **123,** 507
Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions (Clouser, R.H., Langston, C.A.), **123,** 541
Vertical profile of turbidity and coda Q (Gusev, A.A.), **123,** 665

Scotland

Deep-crustal mineral assemblages and potential for crustal rocks below the Moho in the Scottish Caledonides (Hynes, A., Snyder, D.B.), **123,** 323

Sea-floor spreading

Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem (Lister, C.R.B.), **120,** 45

Sea-level

The viscoelastic relaxation of a realistically stratified earth, and a further analysis of postglacial rebound (Han, D., Wahr, J.), **120,** 287
The accuracy and applications of satellite altimetry (Shum, C.K., Ries, J.C., Tapley, B.D.), **121,** 321
Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region (Mitrovica, J.X., Peltier, W.R.), **122,** 353
Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions (Lambeck, K.), **122,** 1022

Sedimentary basins

Inversion of 3-D structural geometry using geological least-squares criteria (Léger, M., Morvan, J.-M., Rakotoarisoa, H.), **121,** 63
Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave (Olsen, K.B., Schuster, G.T.), **122,** 1045
Faraday resonance in thin sedimentary layers (Foda, M.A., Chang, Y.-H.), **123,** 559

Sedimentary rocks

Influence of fluid chemistry on shear-wave attenuation and velocity in sedimentary rocks (Vo-Thanh, D.), **121,** 737

Sedimentation

Mathematical modelling of gravitational compaction and clay dehydration in thick sediment layers (Audet, D.M.), **122,** 283

Sediments

Palaeomagnetic cave stratigraphy of sediments from Hellemofjord, northern Norway (Løvlie, R., Ellingsen, K.L., Lauritzen, S.-E.), **120,** 499

Seismic coda

Quantifying crustal fracture heterogeneity by seismic scattering (Leary, P.C.), **122,** 125
Relation between direct wave Q and coda Q: a numerical approach (Yomogida, K., Benites, R.), **123,** 471
Vertical profile of turbidity and coda Q (Gusev, A.A.), **123,** 665

Seismic modelling

A new approach to pre-stack seismic processing (Rajasekaran, S., McMechan, G.A.), **121,** 255
Multicomponent near-surface correction for land VSP data (MacBeth, C., Zeng, X., Li, X.-Y., Queen, J.), **121,** 301
3-D finite-difference reflection traveltimes (Hole, J.A., Zelt, B.C.), **121,** 427
3-D seismic modelling of general material anisotropy in the presence of the free surface by a Chebyshev spectral method (Tessmer, E.), **121,** 557
Phenomenological representation and kinematics of general seismic sources including the seismic vector modes (Takei, Y., Kumazawa, M.), **121,** 641
Seismic modelling over 3-D homogeneous layered structures—summation of Gaussian beams (Wang, T.K., Waltham, D.A.), **122,** 161
Modelling of near-surface seismic structure beneath Hawaii using reverberations (Li, Y., Thurber, C.H.), **122,** 441
Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave (Olsen, K.B., Schuster, G.T.), **122,** 1045
Asymptotic edge-and-vertex diffraction theory (Hanyga, A.), **123,** 277
Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake (Novelo-Casanova, D.A.), **123,** 628

Seismic moment

Seismic-source and wave-propagation effects of L_g waves in Scandinavia (Kvamme, L.B., Hansen, R.A., Bungum, H.), **120,** 525

Seismic quiescence

Precursory seismic quiescence in the Mudurnu Valley (Wyss, M., Westerhaus, M., Berckhemer, H., Ates, R.), **123,** 117

Seismic reflection

Coincident conductive and reflective middle and lower crust in southern British Columbia (Marquis, G., Jones, A.G., Hyndman, R.D.), **120,** 111
A new approach to pre-stack seismic processing (Rajasekaran, S., McMechan, G.A.), **121,** 255
3-D finite-difference reflection traveltimes (Hole, J.A., Zelt, B.C.), **121,** 427
Processing of pre-critical wide-angle seismic reflection data from the BABEL project (Dahl-Jensen, T., Lindsey, G., Law, A., Snyder, D.), **122,** 1
Determination of Poisson's ratio from pre-critical wide-angle seismic reflection data from the BABEL project (Law, A., Snyder, D.B., Singh, S.C.), **122,** 16
New insights into the evolution of the Lomonosov Ridge and the Eurasian Basin (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **122,** 378
Modelling of near-surface seismic structure beneath Hawaii using reverberations (Li, Y., Thurber, C.H.), **122,** 441
Non-linear multiparameter inversion using a hybrid global search algorithm: applications in reflection seismology (Liu, P., Hartzell, S., Stephenson, W.), **122,** 991
New geophysical results from the south-western Eurasian Basin (Morris Jesup Rise, Gakkel Ridge, Yermak Plateau) and the Fram Strait (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **123,** 601
Crustal structure of the Middle Urals based on reprocessing of Russian

seismic reflection data (Steer, D.N., Knapp, J.H., Brown, L.D., Rybalka, A.V., Sokolov, V.B.), **123,** 673

Seismic refraction

Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin (Louden, K.E.), **120,** 375
3-D finite-difference reflection traveltimes (Hole, J.A., Zelt, B.C.), **121,** 427

Seismic stress

Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes (Comte, D., Suárez, G.), **122,** 419

Seismic tomography

Collisional tectonics of the Baltic Shield in the northern Gulf of Bothnia from seismic data of the BABEL project (Gohl, K., Pedersen, L.B.), **120,** 209
Relative-error-based non-linear inversion: application to seismic traveltime tomography (Cao, S., Greenhalgh, S.), **121,** 684
Comparison of global waveform inversions with and without considering cross-branch modal coupling (Li, X.-D., Romanowicz, B.), **121,** 695
Radial models of mantle viscosity: results from a genetic algorithm (King, S.D.), **122,** 725
Evidence for proportionality of *P* and *S* heterogeneity in the lower mantle (Robertson, G.S., Woodhouse, J.H.), **123,** 85

Seismic velocities

Processing of pre-critical wide-angle seismic reflection data from the BABEL project (Dahl-Jensen, T., Lindsey, G., Law, A., Snyder, D.), **122,** 1
Constraints on seismic velocities in the Earth from traveltimes (Kennett, B.L.N., Engdahl, E.R., Buland, R.), **122,** 108
A transformational approach to geophysical inverse problems (Vasco, D.W.), **123,** 183

Seismic waves

The *Q*-gram method: *Q* from instantaneous phase (Bromirski, P.D., Frazer, L.N.), **120,** 73
Interpretation of seismic surface waves in regional networks: joint estimation of wavefield geometry and local phase velocity. Method and numerical tests (Friederich, W., Wielandt, E.), **120,** 731
The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements (Kneib, G.), **122,** 594
Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions (Clouser, R.H., Langston, C.A.), **123,** 541

Seismic-phase identification

Towards the identification of later seismic phases (Tong, C., Kennett, B.L.N.), **123,** 948

Seismic-wave propagation

Seismic-source and wave-propagation effects of L_g waves in Scandinavia (Kvamme, L.B., Hansen, R.A., Bungum, H.), **120,** 525
SH propagation in rocks with planar fractures—I. Excess slowness (Frazer, L.N.), **122,** 33
Characteristics of surface waves generated by events on and near the Chinese nuclear test site (Levshin, A.L., Ritzwoller, M.H.), **123,** 131
Blockage of regional seismic waves by the Teisseyre–Tornquist zone (Schweitzer, J.), **123,** 260
Anisotropy and non-linear polarization of body waves in exponentially heterogeneous media (Grechka, V.Y., McMechan, G.A.), **123,** 959

Seismicity

The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, *M*=7.1 earthquake sequence (Suleiman, A.S., Doser, D.I.), **120,** 312
Evaluation of the applicability of the time- and slip-predictable earthquake recurrence models to Italian seismicity (Mulargia, F., Gasperini, P.), **120,** 453
Effect of seismic coupling on the scaling of seismicity (Wang, J.-H.), **121,** 475
Seismicity and *P*-wave velocity image of the Southern Tyrrhenian subduction zone (Selvaggi, G., Chiarabba, C.), **121,** 818
A seismological study of the eastern New Guinea and the western Solomon Sea regions and its tectonic implications (Pegler, G., Das, S., Woodhouse, J.H.), **122,** 961

Seismograms

Simultaneous time-domain deconvolution with application to the computation of receiver functions (Gurrola, H., Baker, G.E., Minster, J.B.), **120,** 537
Simulation of long-period 3-D elastic responses for whole earth models (Yoon, K.-H., McMechan, G.A.), **120,** 721
Determination of *Lg*-wave attenuation using single-station seismograms: a case study for Zimbabwe (Hlatywayo, D.J., Midzi, V.), **123,** 291
Characterization of seismic phases—an automatic analyser for seismograms (Tong, C.), **123,** 937

Seismograph network

Evidence for a seismic attenuation anomaly beneath the Hida Mountain Range, Central Honshu, Japan (Katsumata, K., Urabe, T., Mizoue, M.), **120,** 237
Receiver functions at the stations of the German Regional Seismic Network (GRSN) (Kind, R., Kosarev, G.L., Petersen, N.V.), **121,** 191

Seismology

The *Q*-gram method: *Q* from instantaneous phase (Bromirski, P.D., Frazer, L.N.), **120,** 73
An analytical solution of the elastodynamic equations along the axis of a circular fault (Cara, M., Bour, M.), **123,** 373
Attenuation in the uppermost inner core from broad-band GEOSCOPE *PKP* data (Souriau, A., Roudil, P.), **123,** 572
Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake (Novelo-Casanova, D.A.), **123,** 628
Characterization of seismic phases—an automatic analyser for seismograms (Tong, C.), **123,** 937

Seismotectonics

The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, *M*=7.1 earthquake sequence (Suleiman, A.S., Doser, D.I.), **120,** 312
Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes (Comte, D., Suárez, G.), **122,** 419
Coseismic crustal deformation from microseismicity in the Patras area, western Greece (Melis, N.S., Burton, P.W., Brooks, M.), **122,** 815

Shear-wave splitting

Seismic anisotropy caused by rock fabric (Lee, J.M., Alexander, S.S.), **122,** 705
Small-scale sublithospheric continental mantle deformation:

constraints from *SKS* splitting observations (Alsina, D., Snieder, R.), **123,** 431
Shear-wave polarization anisotropy beneath the north-eastern part of Honshu (Okada, T., Matsuzawa, T., Hasegawa, A.), **123,** 781

Solomon Sea

A seismological study of the eastern New Guinea and the western Solomon Sea regions and its tectonic implications (Pegler, G., Das, S., Woodhouse, J.H.), **122,** 961

Source time functions

Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms (Abers, G.A., Hu, X., Sykes, L.R.), **123,** 41

Southern Tyrrhenian

Seismicity and *P*-wave velocity image of the Southern Tyrrhenian subduction zone (Selvaggi, G., Chiarabba, C.), **121,** 818

Spain

Heat flow and regional uplift at the north-eastern border of the Ebro basin, NE Spain (Cabal, J., Fernàndez, M.), **121,** 393

Spectral analysis

Source mechanisms of volcanic tremor and low-frequency earthquakes associated with the 1988–89 eruptive activity of Mt Tokachi, Hokkaido, Japan (Nishimura, T., Hamaguchi, H., Ueki, S.), **121,** 444
Sompi, Pisarenko and the extended information criterion (Ulrych, T.J., Sacchi, M.D.), **122,** 719
Multiwavelet spectral and polarization analyses of seismic records (Lilly, J.M., Park, J.), **122,** 1001

Spherical harmonics

A discussion of the uniqueness of a Laplacian potential when given only partial field information on a sphere (Lowes, F.J., De Santis, A., Duka, B.), **121,** 579

Statistical methods

Multifractal analysis of earthquake catalogues (Godano, C., Caruso, V.), **121,** 385

Stress distribution

Estimate of the stress field in Kilauea's south flank (Liang, B., Kisslinger, C., Bryan, C.), **123,** 213

Strike slip

Palaeomagnetism and K-Ar dating of Pleistocene volcanic rocks along the Altyn Tagh fault, northern border of Tibet (Otofuji, Y., Itaya, T., Wang, H.C., Nohda, S.), **120,** 367

Strong motion

An analytical solution of the elastodynamic equations along the axis of a circular fault (Cara, M., Bour, M.), **123,** 373

Subduction

An arbitrary Lagrangian–Eulerian formulation for creeping flows and its application in tectonic models (Fullsack, P.), **120,** 1
Collisional tectonics of the Baltic Shield in the northern Gulf of Bothnia from seismic data of the BABEL project (Gohl, K., Pedersen, L.B.), **120,** 209
sP depth phase at small epicentral distances and estimated subducting plate boundary (Umino, N., Hasegawa, A., Matsuzawa, T.), **120,** 356
Waveform response to the morphology of 2-D subducted slabs (Zhou, H., Chen, G.), **121,** 511
Seismicity and *P*-wave velocity image of the Southern Tyrrhenian subduction zone (Selvaggi, G., Chiarabba, C.), **121,** 818
Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes (Comte, D., Suárez, G.), **122,** 419
A seismological study of the eastern New Guinea and the western Solomon Sea regions and its tectonic implications (Pegler, G., Das, S., Woodhouse, J.H.), **122,** 961
Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms (Abers, G.A., Hu, X., Sykes, L.R.), **123,** 41

Surface waves

Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases (Marquering, H., Snieder, R.), **120,** 186
Determining surface-wave magnitudes from regional Nevada Test Site data (Woods, B.B., Harkrider, D.G.), **120,** 474
Magnitudes of Central American earthquakes 1898–1930 (Ambraseys, N.N.), **121,** 545
Approximations for surface-wave propagation in laterally varying media (Kennett, B.L.N.), **122,** 470
Global phase velocity maps of Love and Rayleigh waves between 40 and 150 seconds (Trampert, J., Woodhouse, J.H.), **122,** 675
The contrast in upper mantle shear-wave velocity between the East European Platform and tectonic Europe obtained with genetic algorithm inversion of Rayleigh-wave group dispersion (Lomax, A., Snieder, R.), **123,** 169
Global observation of off-great-circle propagation of long-period surface waves (Laske, G.), **123,** 245
Faraday resonance in thin sedimentary layers (Foda, M.A., Chang, Y.-H.), **123,** 559
Validity of surface-wave ray theory on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **123,** 757
On the presence of intermediate-scale heterogeneity in the upper mantle (Passier, M.L., Snieder, R.K.), **123,** 817

Switzerland

Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps (Maurer, H., Deichmann, N.), **123,** 588

Synthetic seismograms

DSM synthetic seismograms using analytic trial functions: plane-layered, isotropic, case (Geller, R.J., Hatori, T.), **120,** 163
Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases (Marquering, H., Snieder, R.), **120,** 186
Heterogeneous formulations of elastodynamic equations and finite-difference schemes (Zahradnik, J., Priolo, E.), **120,** 663
Composite memory variables for viscoelastic synthetic seismograms (Xu, T., McMechan, G.A.), **121,** 634
Complete synthetic seismograms for a spherically symmetric earth by a numerical computation of the Green's function in the frequency domain (Friederich, W., Dalkolmo, J.), **122,** 537
Multiple scattering of *SH* waves in 2-D elastic media with distributed cracks (Murai, Y., Kawahara, J., Yamashita, T.), **122,** 925
A new method for computing highly accurate DSM synthetic seismograms (Geller, R.J., Takeuchi, N.), **123,** 449
Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions (Clouser, R.H., Langston, C.A.), **123,** 541

Synthetic waveforms

Comparison of global waveform inversions with and without considering cross-branch modal coupling (Li, X.-D., Romanowicz, B.), **121,** 695

Tectonics

An arbitrary Lagrangian–Eulerian formulation for creeping flows and its application in tectonic models (Fullsack, P.), **120,** 1
Palaeomagnetism and K-Ar dating of Pleistocene volcanic rocks along the Altyn Tagh fault, northern border of Tibet (Otofuji, Y., Itaya, T., Wang, H.C., Nohda, S.), **120,** 367
Tectonic regime and slip orientation of reactivated faults (Célérier, B.), **121,** 143
Rotational deformation during Palaeogene thrusting and basin closure in eastern central Greece: palaeomagnetic evidence from Mesozoic carbonates (Morris, A.), **121,** 827
New insights into the evolution of the Lomonosov Ridge and the Eurasian Basin (Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T.), **122,** 378
Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions (Lambeck, K.), **122,** 1022
Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area (Burton, P.W., Melis, N.S., Brooks, M.), **123,** 16
The temporal distribution of aftershock sequences in the subduction zones of the Pacific (Tsapanos, T.M.), **123,** 633

Thermal conductivity

Effect of thermal conductivity anisotropy of rocks on the subsurface temperature field (Šafanda, J.), **120,** 323

Tibet

Partitioning of crustal slip between linked, active faults in the eastern Qilian Shan, and evidence for a major seismic gap, the 'Tianzhu gap', on the western Haiyuan Fault, Gansu (China) (Gaudemer, Y., Tapponnier, P., Meyer, B., Peltzer, G., Shunmin, G., Zhitai, C., Huagung, D., Cifuentes, I.), **120,** 599

Tides

North Sea pole tide dynamics (Xie, L., Dickman, S.R.), **121,** 117
Statistical test of the tidal triggering of earthquakes: contribution of the ocean tide loading effect (Tsuruoka, H., Ohtake, M., Sato, H.), **122,** 183
Geophysical analysis of zonal tidal signals in length of day (Chao, B.F., Merriam, J.B., Tamura, Y.), **122,** 765
Lunar daily geomagnetic variations in New Zealand (McKnight, J.D.), **122,** 889
Non-linear tides observed with the superconducting gravimeter (Merriam, J.B.), **123,** 529

Tomography

Inversion of 3-D structural geometry using geological least-squares criteria (Léger, M., Morvan, J.-M., Rakotoarisoa, H.), **121,** 63
An adaptive-grid formalism for traveltime tomography (Michelini, A.), **121,** 489
Global phase velocity maps of Love and Rayleigh waves between 40 and 150 seconds (Trampert, J., Woodhouse, J.H.), **122,** 675
A transformational approach to geophysical inverse problems (Vasco, D.W.), **123,** 183
Global observation of off-great-circle propagation of long-period surface waves (Laske, G.), **123,** 245
Anisotropy tomography of *P*-wave traveltimes (Mochizuki, E.), **123,** 297
Tomographic inversion of reflection seismic amplitude data for velocity variation (Wang, Y., Houseman, G.A.), **123,** 355
On the presence of intermediate-scale heterogeneity in the upper mantle (Passier, M.L., Snieder, R.K.), **123,** 817

Topography

A 3-D dynamic model for the anomalous topography and geoid over the south-east Indian Ridge (Kuo, B.-Y., Hung, S.-H., Chiao, L.-Y.), **121,** 1
Topography and geoid due to lithospheric mass anomalies (Le Stunff, Y., Ricard, Y.), **122,** 982
Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions (Clouser, R.H., Langston, C.A.), **123,** 541

Transition

Evidence for the existence of a transitional geomagnetic field recorded in a Proterozoic lava succession (Thomas, D.N., Piper, J.D.A.), **122,** 266

Turkey

Precursory seismic quiescence in the Mudurnu Valley (Wyss, M., Westerhaus, M., Berckhemer, H., Ates, R.), **123,** 117

Tyrrhenian Sea

Geomagnetism and age study of Tyrrhenian seamounts (Faggion, O., Pinna, E., Savelli, C., Schreider, A.A.), **123,** 915

Uplift

Heat flow and regional uplift at the north-eastern border of the Ebro basin, NE Spain (Cabal, J., Fernàndez, M.), **121,** 393
Displacement and gravity anomaly produced by a shallow vertical dyke in a cohesionless medium (Bonafede, M., Olivieri, M.), **123,** 639

Upper mantle

Thermal diffusivity of olivine under upper mantle conditions (Katsura, T.), **122,** 63
On the presence of intermediate-scale heterogeneity in the upper mantle (Passier, M.L., Snieder, R.K.), **123,** 817

Viscoelasticity

Some comments on the 3-D impulse response of a Maxwell viscoelastic earth (Mitrovica, J.X., Davis, J.L.), **120,** 227
The viscoelastic relaxation of a realistically stratified earth, and a further analysis of postglacial rebound (Han, D., Wahr, J.), **120,** 287
Global post-seismic deformation (Piersanti, A., Spada, G., Sabadini, R., Bonafede, M.), **120,** 544
Composite memory variables for viscoelastic synthetic seismograms (Xu, T., McMechan, G.A.), **121,** 634
Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models (Breuer, D., Wolf, D.), **121,** 775

Viscosity

The singularity mystery associated with a radially continuous Maxwell viscoelastic structure (Fang, M., Hager, B.H.), **123,** 849

Volcanic activity

Explosive volcanic eruptions—VIII. The role of magma recycling in controlling the behaviour of Hawaiian-style lava fountains (Wilson, L., Parfitt, E.A., Head III, J.W.), **121,** 215

Explosive volcanic eruptions—IX. The transition between Hawaiian-style lava fountaining and Strombolian explosive activity (Parfitt, E.A., Wilson, L.), **121,** 226
Geomagnetism and age study of Tyrrhenian seamounts (Faggion, O., Pinna, E., Savelli, C., Schreider, A.A.), **123,** 915

Volcanic structure

Explosive volcanic eruptions—VIII. The role of magma recycling in controlling the behaviour of Hawaiian-style lava fountains (Wilson, L., Parfitt, E.A., Head III, J.W.), **121,** 215
Explosive volcanic eruptions—IX. The transition between Hawaiian-style lava fountaining and Strombolian explosive activity (Parfitt, E.A., Wilson, L.), **121,** 226
Modelling of near-surface seismic structure beneath Hawaii using reverberations (Li, Y., Thurber, C.H.), **122,** 441

Wave propagation

Modelling elastic-wave propagation in inhomogeneous anisotropic media by the pseudo-spectral method (Lou, M., Rial, J.A.), **120,** 60
P-wave array polarization analysis and effective anisotropy of the brittle crust (Bokelmann, G.H.R.), **120,** 145
Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave (Olsen, K.B., Schuster, G.T.), **122,** 1045

Waveform analysis

Constraints on the shallow crustal model of the Northern Apennines (Italy) from the analysis of microearthquake seismic records (Zollo, A., De Matteis, R., Capuano, P., Ferulano, F., Iannaccone, G.), **120,** 646
Formalism for traveltime inversion with finite frequency effects (Tanimoto, T.), **121,** 103
Waveform response to the morphology of 2-D subducted slabs (Zhou, H., Chen, G.), **121,** 511
Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps (Maurer, H., Deichmann, N.), **123,** 588

Geophysical journal international author index by volume 120–123

Abad, S., Pacheco, A.F., Sañudo, J., Variational methods to calculate the hydrostatic structure of rotating planets, **122,** 953
Abercrombie, R.E., Main, I.G., Douglas, A., Burton, P.W., The nucleation and rupture process of the 1981 Gulf of Corinth earthquakes from deconvolved broad-band data, **120,** 393
Abers, G.A., Hu, X., Sykes, L.R., Source scaling of earthquakes in the Shumagin Region, Alaska: time-domain inversions of regional waveforms, **123,** 41
Abrahamsen, N., Lewandowski, M., Palaeomagnetism of Proterozoic dykes from Bornholm, Denmark, **121,** 949
Achauer, U. *see* Granet, M.
Ahrens, T.J. *see* Sekine, T.
Akinci, A., Del Pezzo, E., Ibáñez, J.M., Separation of scattering and intrinsic attenuation in southern Spain and western Anatolia (Turkey), **121,** 337
Alexander, S.S. *see* Lee, J.M.
Alsina, D., Snieder, R., Small-scale sublithospheric continental mantle deformation: constraints from *SKS* splitting observations, **123,** 431
Ambraseys, N.N., Magnitudes of Central American earthquakes 1898–1930, **121,** 545
Anderson, W.W. *see* Sekine, T.
Appel, E., Patzelt, A., Chouker, C., Secondary palaeoremanence of Tethyan sediments from the Zanskar Range (NW Himalaya), **122,** 227
Arkani-Hamed, J. *see* Dyment, J.
Arkani-Hamed, J., Verhoef, J., Roest, W., Macnab, R., The intermediate-wavelength magnetic anomaly maps of the North Atlantic Ocean derived from satellite and shipborne data, **123,** 727
Ates, R. *see* Wyss, M.
Audet, D.M., Mathematical modelling of gravitational compaction and clay dehydration in thick sediment layers, **122,** 283

Bachtadse, V. *see* Tait, J.
Baker, G.E. *see* Gurrola, H.
Banerjee, S.K. *see* Hunt, C.P.
Barber, N. *see* Waddington, R.
Bassi, G., Relative importance of strain rate and rheology for the mode of continental extension, **122,** 195
Baud, P. *see* Glover, P.W.J.
Bazhenov, M.L., Klishevich, V.L., Tselmovich, V.A., Palaeomagnetism of Permian red beds from south Kazakhstan: DRM inclination error or CRM shallowed directions?, **120,** 445
Beaumont, C. *see* Ellis, S.
Belardinelli, M.E., Bonafede, M., Post-seismic stress evolution for a strike-slip fault in the presence of a viscoelastic asthenosphere, **123,** 744
Ben-Menahem, A., Gibson, R.L., Jr, Radiation of elastic waves from sources embedded in anisotropic inclusions, **122,** 249
Benites, R. *see* Yomogida, K.
Berckhemer, H. *see* Wyss, M.
Bittner, D., Schmeling, H., Numerical modelling of melting processes and induced diapirism in the lower crust, **123,** 59
Bocchio, F., The relative variation of the vertical gravity gradient on the level ellipsoid, **121,** 576
Bödvarsson, R. *see* Slunga, R.
Boerner, D.E. *see* Qian, W.
Bokelmann, G.H.R., *P*-wave array polarization analysis and effective anisotropy of the brittle crust, **120,** 145
Bonafede, M. *see* Belardinelli, M.E.; Piersanti, A.
Bonafede, M., Olivieri, M., Displacement and gravity anomaly produced by a shallow vertical dyke in a cohesionless medium, **123,** 639
Boon, S.A. *see* Glover, P.W.J.
Boschi, E. *see* Pondrelli, S.
Bour, M. *see* Cara, M.
Braun, J. *see* Sambridge, M.
Brefort, D. *see* Charvis, P.
Breuer, D., Wolf, D., Deglacial land emergence and lateral upper-mantle heterogeneity in the Svalbard Archipelago—I. First results for simple load models, **121,** 775
Bromirski, P.D., Frazer, L.N., Duennebier, F.K., The *Q*-gram method: *Q* from instantaneous phase, **120,** 73
Brooks, M. *see* Burton, P.W.; Melis, N.S.
Brown, L.D. *see* Steer, D.N.
Bryan, C. *see* Liang, B.
Buffett, B.A., Goertz, D.E., Magnetic damping of the translational oscillations of the inner core, **120,** 103
Buland, R. *see* Kennett, B.L.N.
Bungum, H. *see* Kvamme, L.B.
Burton, P.W. *see* Abercrombie, R.E.; Melis, N.S.; Tsapanos, T.M.
Burton, P.W., Melis, N.S., Brooks, M., Coseismic crustal deformation on a fault zone defined by microseismicity in the Pavliani area, central Greece, **123,** 16
Butcher, E.C. *see* Schlapp, D.M.

Cabal, J., Fernàndez, M., Heat flow and regional uplift at the north-eastern border of the Ebro basin, NE Spain, **121,** 393
Camps, P., Prévot, M., Coe, R.S., Revisiting the initial sites of geomagnetic field impulses during the Steens Mountain polarity reversal, **123,** 484
Cao, S., Greenhalgh, S., Relative-error-based non-linear inversion: application to seismic traveltime tomography, **121,** 684
Capuano, P. *see* Zollo, A.
Cara, M., Bour, M., An analytical solution of the elastodynamic equations along the axis of a circular fault, **123,** 373
Cardin, P. *see* Vanyo, J.
Carracedo, J.C., Soler, V., Anomalously shallow palaeomagnetic inclinations and the question of the age of the Canarian Archipelago, **122,** 393
Caruso, V. *see* Godano, C.
Célérier, B., Erratum, **122,** 703
Célérier, B., Tectonic regime and slip orientation of reactivated faults, **121,** 143
Chang, Y.-H. *see* Foda, M.A.
Chao, B.F., Eanes, R., Global gravitational changes due to atmospheric mass redistribution as observed by the Lageos nodal residual, **122,** 755
Chao, B.F., Gross, R.S., Changes in the Earth's rotational energy induced by earthquakes, **122,** 776
Chao, B.F., Gross, R.S., Dong, D.-N., Changes in global gravitational energy induced by earthquakes, **122,** 784
Chao, B.F., Merriam, J.B., Tamura, Y., Geophysical analysis of zonal tidal signals in length of day, **122,** 765
Charvis, P., Recq, M., Operto, S., Brefort, D., Deep structure of the northern Kerguelen Plateau and hotspot-related activity, **122,** 899
Chen, G. *see* Zhou, H.; Glennon, M.A.
Chiao, L.-Y. *see* Kuo, B.-Y.
Chiarabba, C. *see* Selvaggi, G.
Chouker, C. *see* Appel, E.
Chouteau, M. *see* Zhang, P.
Cifuentes, I. *see* Gaudemer, Y.
Clauser, C., Mareschal, J.-C., Ground temperature history in central Europe from borehole temperature data, **121,** 805
Cloetingh, S. *see* Van Balen, R.
Clouser, R.H., Langston, C.A., Effect of sinusoidal interfaces on teleseismic *P*-wave receiver functions, **123,** 541
Coe, R.S. *see* Camps, P.
Comte, D., Suárez, G., Stress distribution and geometry of the subducting Nazca plate in northern Chile using teleseismically recorded earthquakes, **122,** 419
Constable, C.G. *see* Johnson, C.L.
Conti, C.M., Rapalini, A.E., Vilas, J.F., Palaeomagnetism of the Silurian Lipeón formation, NW Argentina, and the Gondwana apparent polar wander path, **121,** 848

Cormier, V.F., Time-domain modelling of *PKIKP* precursors for constraints on the heterogeneity in the lowermost mantle, **121,** 725
Corrieu, V., Thoraval, C., Ricard, Y., Mantle dynamics and geoid Green functions, **120,** 516
Cowie, P.A., Sornette, D., Vanneste, C., Multifractal scaling properties of a growing fault population, **122,** 457
Csapó, G. *see* Varga, P.

Dahl-Jensen, T., Lindsey, G., Law, A., Snyder, D., Processing of pre-critical wide-angle seismic reflection data from the BABEL project, **122,** 1
Dahlen, F.A. *see* Wang, Z.; Zhao, L.
Dai, H., MacBeth, C., Automatic picking of seismic arrivals in local earthquake data using an artificial neural network, **120,** 758
Daignières, M. *see* Pous, J.
Dalkolmo, J. *see* Friederich, W.
Daly, L. *see* Kies, B.
Darot, M. *see* Glover, P.W.J.
Das, S. *see* Pegler, G.
Das, S.M. *see* Kumar, V.S.
Dávila, F. *see* Lavenu, A.
Davis, J.L. *see* Mitrovica, J.X.
De Bremaecker, J.-Cl. *see* Wei, K.
de la Cruz, V. *see* Hickey, C.J.
De Matteis, R. *see* Zollo, A.
De Santis, A. *see* Lowes, F.J.
de Souza, J.L., Shear-wave velocity in the south-eastern Brazilian continental shelf, **122,** 691
deGroot-Hedlin, C., Inversion for regional 2-D resistivity structure in the presence of galvanic scatterers, **122,** 877
Deichmann, N. *see* Maurer, H.
Del Pezzo, E. *see* Akinci, A.
Derder, M.M. *see* Kies, B.
Dickman, S.R. *see* Xie, L.
Dong, D.-N. *see* Chao, B.F.
Donzé, F., Magnier, S.-A., Formulation of a 3-D numerical model of brittle behaviour, **122,** 790
Dorel, J. *see* Granet, M.
Doser, D.I. *see* Suleiman, A.S.
Douglas, A. *see* Abercrombie, R.E.
Drijkoningen, G.G., White, R.S., Seismic velocity structure of oceanic crust by inversion using genetic algorithms, **123,** 653
Duennebier, F.K. *see* Bromirski, P.D.
Duffy, T.S. *see* Sekine, T.
Duka, B. *see* Lowes, F.J.
Dyment, J., Arkani-Hamed, J., Spreading-rate-dependent magnetization of the oceanic lithosphere inferred from the anomalous skewness of marine magnetic anomalies, **121,** 789

Eanes, R. *see* Chao, B.F.
Edel, J.B. *see* Jeleńska, M.
Edel, J.B., Schneider, J.L., The Late Carboniferous to Early Triassic geodynamic evolution of Variscan Europe in the light of magnetic overprints in Early Permian rhyolites from the northern Vosges (France) and central Black Forest (Germany), **122,** 858
Ellingsen, K.L. *see* Løvlie, R.
Ellis, S., Fullsack, P., Beaumont, C., Oblique convergence of the crust driven by basal forcing: implications for length-scales of deformation and strain partitioning in orogens, **120,** 24
Engdahl, E.R. *see* Kennett, B.L.N.

Faggion, O., Pinna, E., Savelli, C., Schreider, A.A., Geomagnetism and age study of Tyrrhenian seamounts, **123,** 915
Fang, M., Hager, B.H., The singularity mystery associated with a radially continuous Maxwell viscoelastic structure, **123,** 849
Farra, V., Le Bégat, S., Sensitivity of *qP*-wave traveltimes and polarization vectors to heterogeneity, anisotropy and interfaces, **121,** 371
Fernàndez, M. *see* Cabal, J.
Ferulano, F. *see* Zollo, A.
Fine, P., Verosub, K.L., Singer, M.J., Pedogenic and lithogenic contributions to the magnetic susceptibility record of the Chinese loess/palaeosol sequence, **122,** 97
Florindo, F., Sagnotti, L., Palaeomagnetism and rock magnetism in the upper Pliocene Valle Ricca (Rome, Italy) section, **123,** 340
Foda, M.A., Chang, Y.-H., Faraday resonance in thin sedimentary layers, **123,** 559
Forte, A.M. *see* Mitrovica, J.X.
Frazer, L.N. *see* Bromirski, P.D.
Frazer, L.N., *SH* propagation in rocks with planar fractures—I. Excess slowness, **122,** 33
Friederich, W., Dalkolmo, J., Complete synthetic seismograms for a spherically symmetric earth by a numerical computation of the Green's function in the frequency domain, **122,** 537
Friederich, W., Wielandt, E., Interpretation of seismic surface waves in regional networks: joint estimation of wavefield geometry and local phase velocity. Method and numerical tests, **120,** 731
Fuchs, K. *see* Granet, M.
Fukao, Y., Single-force representation of earthquakes due to landslides or the collapse of caverns, **122,** 243
Fullsack, P. *see* Ellis, S.
Fullsack, P., An arbitrary Lagrangian—Eulerian formulation for creeping flows and its application in tectonic models, **120,** 1

Galanopoulos, D. *see* Tsapanos, T.M.
Gasperini, P. *see* Mulargia, F.
Gaudemer, Y., Tapponnier, P., Meyer, B., Peltzer, G., Shunmin, G., Zhitai, C., Huagung, D., Cifuentes, I., Partitioning of crustal slip between linked, active faults in the eastern Qilian Shan, and evidence for a major seismic gap, the 'Tianzhu gap', on the western Haiyuan Fault, Gansu (China), **120,** 599
Geller, R.J., Hatori, T., DSM synthetic seismograms using analytic trial functions: plane-layered, isotropic, case, **120,** 163
Geller, R.J., Takeuchi, N., A new method for computing highly accurate DSM synthetic seismograms, **123,** 449
Getino, J., An interpretation of the core–mantle interaction problem, **120,** 693
Getino, J., Forced nutations of a rigid mantle–liquid core earth model in canonical formulation, **122,** 803
Gibson, R.L., Jr *see* Ben-Menahem, A.
Glennon, M.A., Chen, W.-P., Ruptures of deep-focus earthquakes in the north-western Pacific and their implications on seismogenesis, **120,** 706
Gliko, A.O. *see* Manglik, A.
Glover, P.W.J., Baud, P., Darot, M., Meredith, P.G., Boon, S.A., LeRavalec, M., Zoussi, S., Reuschlé, T., α/β phase transition in quartz monitored using acoustic emissions, **120,** 775
Godano, C., Caruso, V., Multifractal analysis of earthquake catalogues, **121,** 385
Goertz, D.E. *see* Buffett, B.A.
Gohl, K., Pedersen, L.B., Collisional tectonics of the Baltic Shield in the northern Gulf of Bothnia from seismic data of the BABEL project, **120,** 209
Goldschmidt-Rokita, A. *see* Kodaira, S.
Grad, M., Krzyżanowska, M., Pirhonen, S.E., Inhomogeneities of the Eurasian mantle structure from the traveltimes of the nuclear explosions recorded by the Finnish seismic network during 1961–1985, **121,** 863
Grafarend, E. *see* Xu, P.
Granet, M., Stoll, G., Dorel, J., Achauer, U., Poupinet, G., Fuchs, K., Massif Central (France): new constraints on the geodynamical evolution from teleseismic tomography, **121,** 33
Grechka, V.Y., McMechan, G.A., Anisotropy and non-linear polarization of body waves in exponentially heterogeneous media, **123,** 959
Greenhalgh, S. *see* Cao, S.
Gritto, R., Korneev, V.A., Johnson, L.R., Low-frequency elastic-wave scattering by an inclusion: limits of applications, **120,** 677
Gross, R.S. *see* Chao, B.F.
Gubbins, D. *see* Waddington, R.
Gurevich, B., Lopatnikov, S.L., Velocity and attenuation of elastic waves in finely layered porous rocks, **121,** 933
Gurrola, H., Baker, G.E., Minster, J.B., Simultaneous time-domain deconvolution with application to the computation of receiver functions, **120,** 537
Gusev, A.A., Vertical profile of turbidity and coda Q, **123,** 665
Gutscher, M.-A., Crustal structure and dynamics in the Rhine Graben and the Alpine foreland, **122,** 617

Hager, B.H. *see* Fang, M.
Haines, A.J. *see* Holt, W.E.
Hajósy, A. *see* Varga, P.
Häkkinen, L. *see* Menvielle, M.
Hamaguchi, H. *see* Nishimura, T.

Hambach, U. *see* Reinders, J.
Han, D., Wahr, J., The viscoelastic relaxation of a realistically stratified earth, and a further analysis of postglacial rebound, **120,** 287
Han, J. *see* Hunt, C.P.
Hansen, R.A. *see* Kvamme, L.B.
Hanyga, A., Asymptotic edge-and-vertex diffraction theory, **123,** 277
Harkrider, D.G. *see* Woods, B.B.
Hartmann, J.M. *see* Kodaira, S.
Hartzell, S. *see* Liu, P.
Hasegawa, A. *see* Okada, T.; Umino, N.
Hatori, T. *see* Geller, R.J.
Head III, J.W. *see* Wilson, L.
Henry, B. *see* Kies, B.
Hickey, C.J., Spanos, T.J.T., de la Cruz, V., Deformation parameters of permeable media, **121,** 359
Hirschleber, H.B. *see* Kodaira, S.
Hlatywayo, D.J., Fault-plane solutions of the Deka Fault zone and mid-Zambezi Valley, **120,** 567
Hlatywayo, D.J., Midzi, V., Determination of *Lg*-wave attenuation using single-station seismograms: a case study for Zimbabwe, **123,** 291
Hole, J.A., Zelt, B.C., 3-D finite-difference reflection traveltimes, **121,** 427
Holt, W.E., Li, M., Haines, A.J., Earthquake strain rates and instantaneous relative motions within central and eastern Asia, **122,** 569
Houseman, G.A. *see* Wang, Y.
Hu, X. *see* Abers, G.A.
Huagung, D. *see* Gaudemer, Y.
Hubert, C. *see* Zhang, P.
Hudson, J.A. *see* Li, X.
Hung, S.-H. *see* Kuo, B.-Y.
Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T., Rock-magnetic proxies of climate change in the loess–palaeosol sequences of the western Loess Plateau of China, **123,** 232
Hwang, C., Parsons, B., Gravity anomalies derived from Seasat, Geosat, ERS-1 and TOPEX/POSEIDON altimetry and ship gravity: a case study over the Reykjanes Ridge, **122,** 551
Hyndman, R.D. *see* Marquis, G.
Hynes, A., Snyder, D.B., Deep-crustal mineral assemblages and potential for crustal rocks below the Moho in the Scottish Caledonides, **123,** 323

Iannaccone, G. *see* Zollo, A.
Ibáñez, J.M. *see* Akinci, A.
Ikelle, L.T., Linearized inversion of 3-D multi-offset data: background reconstruction and AVO inversion, **123,** 507
Ismail-Zadeh, A.T. *see* Naimark, B.M.
Itaya, T. *see* Otofuji, Y.
Ivins, E.R., Sammis, C.G., On lateral viscosity contrast in the mantle and the rheology of low-frequency geodynamics, **123,** 305
Iwasaki, T. *see* Kodaira, S.; Mjelde, R.

Jamrozik, L. *see* Jeleńska, M.
Jeleńska, M., Kądziałko-Hofmokl, M., Edel, J.B., Jamrozik, L., Petersen, N., Soffel, H., Palaeomagnetic investigations of the Palaeozoic circum-Sowie Góry Mountains ophiolitic belt in the Sudetes, Poland, **122,** 658
Johnson, C.L., Constable, C.G., The time-averaged geomagnetic field as recorded by lava flows over the past 5 Myr, **122,** 489
Johnson, L.R. *see* Gritto, R.
Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T., New geophysical results from the south-western Eurasian Basin (Morris Jesup Rise, Gakkel Ridge, Yermak Plateau) and the Fram Strait, **123,** 601
Jokat, W., Weigelt, E., Kristoffersen, Y., Rasmussen, T., Schöne, T., New insights into the evolution of the Lomonosov Ridge and the Eurasian Basin, **122,** 378
Jones, A.G. *see* Marquis, G.
Jones, S.M., Velocities and quality factors of sedimentary rocks at low and high effective pressures, **123,** 774
Jordanova, N. *see* Kovacheva, M.
Joswig, M., Automated classification of local earthquake data in the BUG small array, **120,** 262

Kądziałko-Hofmokl, M. *see* Jeleńska, M.
Kaila, K.L. *see* Sarkar, D.
Kanazawa, T. *see* Kodaira, S.; Mjelde, R.
Kant, Y. *see* Singh, R.P.
Kao, H., Liu, L., A hypothesis for the seismogenesis of a double seismic zone, **123,** 71
Karloukovski, V. *see* Kovacheva, M.
Katsumata, K., Urabe, T., Mizoue, M., Evidence for a seismic attenuation anomaly beneath the Hida Mountain Range, Central Honshu, Japan, **120,** 237
Katsura, K. *see* Ogata, Y.
Katsura, T., Thermal diffusivity of olivine under upper mantle conditions, **122,** 63
Kauristie, K. *see* Viljanen, A.
Kawahara, J. *see* Murai, Y.
Kennett, B.L.N. *see* Tong, C.
Kennett, B.L.N., Approximations for surface-wave propagation in laterally varying media, **122,** 470
Kennett, B.L.N., Engdahl, E.R., Buland, R., Constraints on seismic velocities in the Earth from traveltimes, **122,** 108
Khattach, D., Robardet, M., Perroud, H., A Cambrian pole for the Moroccan Coastal Meseta, **120,** 132
Kies, B., Henry, B., Merabet, N., Derder, M.M., Daly, L., A new Late Triassic–Liasic Palaeomagnetic pole from superimposed and juxtaposed magnetizations in the Saharan craton, **120,** 433
Kind, R., Kosarev, G.L., Petersen, N.V., Receiver functions at the stations of the German Regional Seismic Network (GRSN), **121,** 191
King, S.D., Radial models of mantle viscosity: results from a genetic algorithm, **122,** 725
Kisslinger, C. *see* Liang, B.
Klishevich, V.L. *see* Bazhenov, M.L.
Knapp, J.H. *see* Steer, D.N.
Kneib, G., The statistical nature of the upper continental crystalline crust derived from *in situ* seismic measurements, **122,** 594
Kodaira, S., Goldschmidt-Rokita, A., Hartmann, J.M., Hirschleber, H.B., Iwasaki, T., Kanazawa, T., Krahn, H., Tomita, S., Shimamura, H., Crustal structure of the Lofoten continental margin, off northern Norway, from ocean-bottom seismographic studies, **121,** 907
Kono, M. *see* Tanaka, H.
Korneev, V.A. *see* Gritto, R.
Körnig, M., Cell ray tracing for smooth, isotropic media: a new concept based on a generalized analytic solution, **123,** 391
Kosarev, G.L. *see* Kind, R.
Kovacheva, M., Pares, J., Jordanova, N., Karloukovski, V., A new contribution to the archaeomagnetic study of a Roman pottery kiln from Calahorra (Spain), **123,** 931
Kozlenko, V.G. *see* Yegorova, T.P.
Krahn, H. *see* Kodaira, S.
Kristjansson, L., New palaeomagnetic results from Icelandic Neogene lavas, **121,** 435
Kristoffersen, Y. *see* Jokat, W.
Krüger, F., Weber, M., Scherbaum, F., Schlittenhardt, J., Evidence for normal and inhomogeneous lowermost mantle and core–mantle boundary structure under the Arctic and northern Canada, **122,** 637
Krzyżanowska, M. *see* Grad, M.
Kumar, K.V. *see* Kumar, V.S.
Kumar, V.S., Sampath, S., Das, S.M., Kumar, K.V., Atmospheric electrical conductivity variations over different environments, **122,** 89
Kumazawa, M. *see* Takei, Y.
Kuo, B.-Y., Hung, S.-H., Chiao, L.-Y., A 3-D dynamic model for the anomalous topography and geoid over the south-east Indian Ridge, **121,** 1
Kurtz, R. *see* Zhang, P.
Kvamme, L.B., Hansen, R.A., Bungum, H., Seismic-source and wave-propagation effects of L_g waves in Scandinavia, **120,** 525

Lamb, C.J., The effect of a finitely conducting layer in the mantle on magnetic instability in the core, **121,** 763
Lamb, S.H., Corrigendum, **121,** 318, 319
Lambeck, K., Late Pleistocene and Holocene sea-level change in Greece and south-western Turkey: a separation of eustatic, isostatic and tectonic contributions, **122,** 1022
Langston, C.A. *see* Clouser, R.H.; Nyblade, A.A.

Laske, G., Global observation of off-great-circle propagation of long-period surface waves, **123,** 245
Lauritzen, S.-E. *see* Løvlie, R.
Lavenu, A., Winter, T., Dávila, F., A Pliocene–Quaternary compressional basin in the Interandean Depression, Central Ecuador, **121,** 279
Law, A. *see* Dahl-Jensen, T.
Law, A., Snyder, D.B., Singh, S.C., Determination of Poisson's ratio from pre-critical wide-angle seismic reflection data from the BABEL project, **122,** 16
Le Bégat, S. *see* Farra, V.
Le Stunff, Y., Ricard, Y., Topography and geoid due to lithospheric mass anomalies, **122,** 982
Leary, P.C., Quantifying crustal fracture heterogeneity by seismic scattering, **122,** 125
Leary, P.C., The cause of frequency-dependent seismic absorption in crustal rock, **122,** 143
Ledo, J. *see* Pous, J.
Lee, J.M., Alexander, S.S., Seismic anisotropy caused by rock fabric, **122,** 705
Léger, M., Morvan, J.-M., Rakotoarisoa, H., Inversion of 3-D structural geometry using geological least-squares criteria, **121,** 63
Lehmann, H., Potential representation by independent configurations on a multi-electrode array, **120,** 331
LeRavalec, M. *see* Glover, P.W.J.
Levin, V. *see* Menke, W.
Levshin, A.L., Ritzwoller, M.H., Characteristics of surface waves generated by events on and near the Chinese nuclear test site, **123,** 131
Lewandowski, M. *see* Abrahamsen, N.
Li, M. *see* Holt, W.E.
Li, X., Hudson, J.A., Elastic scattered waves from a continuous and heterogeneous layer, **121,** 82
Li, X.-D., Romanowicz, B., Comparison of global waveform inversions with and without considering cross-branch modal coupling, **121,** 695
Li, X.-Y. *see* MacBeth, C.
Li, Y., Thurber, C.H., Modelling of near-surface seismic structure beneath Hawaii using reverberations, **122,** 441
Liakopoulou-Morris, F., Main, I.G., Pearce, R.G., Source parameters of earthquakes in the Aleutian Islands subduction zone, **120,** 419
Liang, B., Kisslinger, C., Bryan, C., Estimate of the stress field in Kilauea's south flank, Hawaii, **123,** 213
Lilly, J.M., Park, J., Multiwavelet spectral and polarization analyses of seismic records, **122,** 1001
Lindsey, G. *see* Dahl-Jensen, T.
Lister, C.R.B., Heat transfer between magmas and hydrothermal systems, or, six lemmas in search of a theorem, **120,** 45
Liu, L. *see* Kao, H.
Liu, L., The causes of the major seismic discontinuities in the transition zone of the Earth's mantle, **121,** 404
Liu, P., Hartzell, S., Stephenson, W., Non-linear multiparameter inversion using a hybrid global search algorithm: applications in reflection seismology, **122,** 991
Liu, T. *see* Hunt, C.P.
Liu, Z., The roles of steady and alternating fields playing in the anhysteretic process, **121,** 354
Lomax, A., Snieder, R., The contrast in upper mantle shear-wave velocity between the East European Platform and tectonic Europe obtained with genetic algorithm inversion of Rayleigh-wave group dispersion, **123,** 169
Lopatnikov, S.L. *see* Gurevich, B.
Lou, M., Rial, J.A., Modelling elastic-wave propagation in inhomogeneous anisotropic media by the pseudo-spectral method, **120,** 60
Louden, K.E., Variations in crustal structure related to intraplate deformation: evidence from seismic refraction and gravity profiles in the Central Indian Basin, **120,** 375
Løvlie, R., Ellingsen, K.L., Lauritzen, S.-E., Palaeomagnetic cave stratigraphy of sediments from Hellemofjord, northern Norway, **120,** 499
Lowes, F.J., De Santis, A., Duka, B., A discussion of the uniqueness of a Laplacian potential when given only partial field information on a sphere, **121,** 579

MacBeth, C. *see* Dai, H.
MacBeth, C., Zeng, X., Li, X.-Y., Queen, J., Multicomponent near-surface correction for land VSP data, **121,** 301
McKnight, J.D., Lunar daily geomagnetic variations in New Zealand, **122,** 889
McMechan, G.A. *see* Grechka, V.Y.; Rajasekaran, S.; Xu, T.; Yoon, K.-H.; Zhang, J.
Macnab, R. *see* Arkani-Hamed, J.
McQueen, H. *see* Sambridge, M.
Magnier, S.-A. *see* Donzé, F.
Maher, B.A. *see* Thompson, R.
Main, I.G. *see* Abercrombie, R.E.; Liakopoulou-Morris, F.
Manglik, A., Gliko, A.O., Singh, R.N., Movement of the lithosphere–asthenosphere interface in response to erosion of thickened continental lithosphere: a moving boundary approach, **122,** 479
Mäntyniemi, P., Bayesian crustal structure inversion: an investigation of the feasibilities and limitations of the method, **123,** 420
Marcuello, A. *see* Pous, J.
Mareschal, J.-C. *see* Clauser, C.; Zhang, P.
Marquering, H., Snieder, R., Surface-wave mode coupling for efficient forward modelling and inversion of body-wave phases, **120,** 186
Marquis, G., Jones, A.G., Hyndman, R.D., Coincident conductive and reflective middle and lower crust in southern British Columbia, **120,** 111
Martinec, Z., Numerical stability of the least-squares solution to the discrete altimetry–gravimetry boundary-value problem for determination of the global gravity model, **123,** 715
Matheney, M.P., Nowack, R.L., Seismic attenuation values obtained from instantaneous-frequency matching and spectral ratios, **123,** 1
Matsuzawa, T. *see* Okada, T.; Umino, N.
Maurer, H., Deichmann, N., Microearthquake cluster detection based on waveform similarities, with an application to the western Swiss Alps, **123,** 588
Meert, J.G. *see* Torsvik, T.H.
Melis, N.S. *see* Burton, P.W.
Melis, N.S., Burton, P.W., Brooks, M., Coseismic crustal deformation from microseismicity in the Patras area, western Greece, **122,** 815
Mendoza, C., Finite-fault analysis of the 1979 March 14 Petatlan, Mexico, earthquake using teleseismic *P* waveforms, **121,** 675
Menke, W., Levin, V., Sethi, R., Seismic attenuation in the crust at the mid-Atlantic plate boundary in south-west Iceland, **122,** 175
Menvielle, M., Papitashvili, N., Häkkinen, L., Sucksdorff, C., Computer production of *K* indices: review and comparison of methods, **123,** 866
Merabet, N. *see* Kies, B.
Meredith, P.G. *see* Glover, P.W.J.
Merriam, J.B. *see* Chao, B.F.
Merriam, J.B., Non-linear tides observed with the superconducting gravimeter, **123,** 529
Meyer, B. *see* Gaudemer, Y.
Michelini, A., An adaptive-grid formalism for traveltime tomography, **121,** 489
Midzi, V. *see* Hlatywayo, D.J.
Minster, J.B. *see* Gurrola, H.
Mitrovica, J.X., Davis, J.L., Some comments on the 3-D impulse response of a Maxwell viscoelastic earth, **120,** 227
Mitrovica, J.X., Forte, A.M., Pleistocene glaciation and the Earth's precession constant, **121,** 21
Mitrovica, J.X., Peltier, W.R., Constraints on mantle viscosity based upon the inversion of post-glacial uplift data from the Hudson Bay region, **122,** 353
Mizoue, M. *see* Katsumata, K.
Mjelde, R., Sellevoll, M.A., Shimamura, H., Iwasaki, T., Kanazawa, T., *S*-wave anisotropy off Lofoten, Norway, indicative of fluids in the lower continental crust?, **120,** 87
Mochizuki, E., Anisotropy tomography of *P*-wave traveltimes, **123,** 297
Morelli, A. *see* Pondrelli, S.
Morris, A., Rotational deformation during Palaeogene thrusting and basin closure in eastern central Greece: palaeomagnetic evidence from Mesozoic carbonates, **121,** 827
Morvan, J.-M. *see* Léger, M.
Mueller, S., Phillips, R.J., On the reliability of lithospheric constraints derived from models of outer-rise flexure, **123,** 887
Mulargia, F., Gasperini, P., Evaluation of the applicability of the time- and slip-predictable earthquake recurrence models to Italian seismicity, **120,** 453

Murai, Y., Kawahara, J., Yamashita, T., Multiple scattering of *SH* waves in 2-D elastic media with distributed cracks, **122,** 925

Naimark, B.M., Ismail-Zadeh, A.T., Numerical models of a subsidence mechanism in intracratonic basins: application to North American basins, **123,** 149
Nishimura, T., Hamaguchi, H., Ueki, S., Source mechanisms of volcanic tremor and low-frequency earthquakes associated with the 1988–89 eruptive activity of Mt Tokachi, Hokkaido, Japan, **121,** 444
Nohda, S. *see* Otofuji, Y.
Novelo-Casanova, D.A., Correlation between the fault rupture pattern and associated microseismic activity of the Petatlan earthquake, **123,** 628
Nowack, R.L. *see* Matheney, M.P.
Nyblade, A.A., Langston, C.A., East African earthquakes below 20 km depth and their implications for crustal structure, **121,** 49

Oches, E. *see* Hunt, C.P.
Ogata, Y., Utsu, T., Katsura, K., Statistical features of foreshocks in comparison with other earthquake clusters, **121,** 233
Ogunade, S.O., Analysis of geomagnetic variations in south-western Nigeria, **121,** 162
Ohtake, M. *see* Tsuruoka, H.
Okada, T., Matsuzawa, T., Hasegawa, A., Shear-wave polarization anisotropy beneath the north-eastern part of Honshu, Japan, **123,** 781
Oldenburg, D. *see* Unsworth, M.
Olivieri, M. *see* Bonafede, M.
Olsen, K.B., Schuster, G.T., Causes of low-frequency ground motion amplification in the Salt Lake Basin: the case of the vertically incident *P* wave, **122,** 1045
Olson, P. *see* Vanyo, J.
Operto, S. *see* Charvis, P.
Otofuji, Y., Itaya, T., Wang, H.C., Nohda, S., Palaeomagnetism and K-Ar dating of Pleistocene volcanic rocks along the Altyn Tagh fault, northern border of Tibet, **120,** 367

Pacheco, A.F. *see* Abad, S.
Pajunpää, K. *see* Viljanen, A.
Papitashvili, N. *see* Menvielle, M.
Pares, J. *see* Kovacheva, M.
Parfitt, E.A. *see* Wilson, L.
Parfitt, E.A., Wilson, L., Explosive volcanic eruptions—IX. The transition between Hawaiian-style lava fountaining and Strombolian explosive activity, **121,** 226
Park, J. *see* Lilly, J.M.
Parsons, B. *see* Hwang, C.
Passier, M.L., Snieder, R.K., On the presence of intermediate-scale heterogeneity in the upper mantle, **123,** 817
Patzelt, A. *see* Appel, E.
Pavlenkova, N.I. *see* Yegorova, T.P.
Pearce, R.G. *see* Liakopoulou-Morris, F.
Pedersen, L.B. *see* Gohl, K.
Pegler, G., Das, S., Woodhouse, J.H., A seismological study of the eastern New Guinea and the western Solomon Sea regions and its tectonic implications, **122,** 961
Peltier, W.R. *see* Mitrovica, J.X.
Peltzer, G. *see* Gaudemer, Y.
Perroud, H. *see* Khattach, D.
Petersen, N. *see* Jeleńska, M.
Petersen, N.V. *see* Kind, R.
Phillips, R.J. *see* Mueller, S.
Piersanti, A., Spada, G., Sabadini, R., Bonafede, M., Global post-seismic deformation, **120,** 544
Pinna, E. *see* Faggion, O.
Piper, J.D.A. *see* Thomas, D.N.
Piper, J.D.A., The palaeomagnetism of middle Proterozoic dyke swarms of the Gardar Province and Mesozoic dykes in SW Greenland, **120,** 339
Pirhonen, S.E. *see* Grad, M.
Pondrelli, S., Morelli, A., Boschi, E., Seismic deformation in the Mediterranean area estimated by moment tensor summation, **122,** 938
Poupinet, G. *see* Granet, M.
Pous, J., Ledo, J., Marcuello, A., Daignières, M., Electrical resistivity model of the crust and upper mantle from a magnetotelluric survey through the central Pyrenees, **121,** 750
Prasad, A.S.S.S.R.S. *see* Sarkar, D.
Presgrave, B.W. *see* Young, J.B.
Prévot, M. *see* Camps, P.
Priolo, E. *see* Zahradník, J.
Pšenčík, I. *see* Šílený, J.

Qian, W., Boerner, D.E., Electromagnetic modelling of buried line conductors using an integral equation, **121,** 203
Queen, J. *see* MacBeth, C.

Rajasekaran, S., McMechan, G.A., A new approach to pre-stack seismic processing, **121,** 255
Rakotoarisoa, H. *see* Léger, M.
Ranalli, G. *see* Yin, Z.-M.
Rapalini, A.E. *see* Conti, C.M.
Rasmussen, T. *see* Jokat, W.
Recq, M. *see* Charvis, P.
Reddy, P.R. *see* Sarkar, D.
Reinders, J., Hambach, U., A geomagnetic event recorded in loess deposits of the Tönchesberg (Germany): identification of the Blake magnetic polarity episode, **122,** 407
Reuschlé, T. *see* Glover, P.W.J.
Rial, J.A. *see* Lou, M.
Ricard, Y. *see* Corrieu, V.; Le Stunff, Y.
Ries, J.C. *see* Shum, C.K.
Ritzwoller, M.H. *see* Levshin, A.L.
Robardet, M. *see* Khattach, D.
Robertson, G.S., Woodhouse, J.H., Evidence for proportionality of *P* and *S* heterogeneity in the lower mantle, **123,** 85
Roest, W. *see* Arkani-Hamed, J.
Rögnvaldsson, S.Th. *see* Slunga, R.
Rolph, T.C. *see* Thomas, D.N.
Romanowicz, B. *see* Li, X.-D.
Roudil, P. *see* Souriau, A.
Rubin, A.M. *see* Sekine, T.
Rybalka, A.V. *see* Steer, D.N.

Sabadini, R. *see* Piersanti, A.
Sacchi, M.D. *see* Ulrych, T.J.
Šafanda, J., Effect of thermal conductivity anisotropy of rocks on the subsurface temperature field, **120,** 323
Sagnotti, L. *see* Florindo, F.
Sambridge, M., Braun, J., McQueen, H., Geophysical parametrization and interpolation of irregular data using natural neighbours, **122,** 837
Sammis, C.G. *see* Ivins, E.R.
Sampath, S. *see* Kumar, V.S.
Sañudo, J. *see* Abad, S.
Sarkar, D., Reddy, P.R., Kaila, K.L., Prasad, A.S.S.S.R.S., Multiple diving waves and high-velocity gradients in the Bengal sedimentary basin, **121,** 969
Sato, H. *see* Tsuruoka, H.
Sato, H., Formulation of the multiple non-isotropic scattering process in 3-D space on the basis of energy transport theory, **121,** 523
Savelli, C. *see* Faggion, O.
Scherbaum, F. *see* Krüger, F.
Schlapp, D.M., Butcher, E.C., Seasonal and sunspot-cycle changes in the day-to-day variability of *Sq*, **120,** 173
Schlittenhardt, J. *see* Krüger, F.
Schmeling, H. *see* Bittner, D.
Schmucker, U., Electromagnetic induction in thin sheets: integral equations and model studies in two dimensions, **121,** 173
Schnegg, P.-A., Sommaruga, A., Constraining seismic parameters with a controlled-source audiomagnetotelluric method (CSAMT), **122,** 152
Schneider, J.L. *see* Edel, J.B.
Schnepp, E., Palaeointensity study of Quaternary East Eifel phonolitic rocks (Germany), **121,** 627
Schöne, T. *see* Jokat, W.
Schreider, A.A. *see* Faggion, O.
Schuster, G.T. *see* Olsen, K.B.
Schweitzer, J., Blockage of regional seismic waves by the Teisseyre–Tornquist zone, **123,** 260
Sekine, T., Duffy, T.S., Rubin, A.M., Anderson, W.W., Ahrens, T.J., Shock compression and isentropic release of granite, **120,** 247

Sellevoll, M.A. *see* Mjelde, R.
Selvaggi, G., Chiarabba, C., Seismicity and *P*-wave velocity image of the Southern Tyrrhenian subduction zone, **121,** 818
Sethi, R. *see* Menke, W.
Shaw, J. *see* Thomas, D.N.
Shimamura, H. *see* Kodaira, S.; Mjelde, R.
Shum, C.K., Ries, J.C., Tapley, B.D., The accuracy and applications of satellite altimetry, **121,** 321
Shunmin, G. *see* Gaudemer, Y.
Šílený, J., Pšenčík, I., Mechanisms of local earthquakes in 3-D inhomogeneous media determined by waveform inversion, **121,** 459
Singer, B., Erratum, **122,** 351
Singer, B.Sh., Method for solution of Maxwell's equations in non-uniform media, **120,** 590
Singer, M.J. *see* Fine, P.
Singh, R.N. *see* Manglik, A.
Singh, R.P., Kant, Y., Sensitivity analysis of electromagnetic measurements over exponentially varying conductivity earth models, **121,** 111
Singh, R.P., Kant, Y., Singh, U.K., The time-domain magnetotelluric response over three-layer earth models, **123,** 125
Singh, S.C. *see* Law, A.
Singh, U.K. *see* Singh, R.P.
Slunga, R., Rögnvaldsson, S.Th., Bödvarsson, R., Absolute and relative locations of similar events with application to microearthquakes in southern Iceland, **123,** 409
Smith, J.T., Understanding telluric distortion matrices, **122,** 219
Snieder, R. *see* Alsina, D.; Lomax, A.; Marquering, H.
Snieder, R.K. *see* Passier, M.L.
Snyder, D. *see* Dahl-Jensen, T.; Law, A.
Snyder, D.B. *see* Hynes, A.
Soffel, H. *see* Jeleńska, M.; Tait, J.
Sokolov, V.B. *see* Steer, D.N.
Soler, V. *see* Carracedo, J.C.
Solheid, P.A. *see* Hunt, C.P.
Sommaruga, A. *see* Schnegg, P.-A.
Sornette, D. *see* Cowie, P.A.
Souriau, A., Roudil, P., Attenuation in the uppermost inner core from broad-band GEOSCOPE *PKP* data, **123,** 572
Spada, G. *see* Piersanti, A.
Spanos, T.J.T. *see* Hickey, C.J.
Spitzer, K., A 3-D finite-difference algorithm for DC resistivity modelling using conjugate gradient methods, **123,** 903
Starostenko, V.I. *see* Yegorova, T.P.
Steer, D.N., Knapp, J.H., Brown, L.D., Rybalka, A.V., Sokolov, V.B., Crustal structure of the Middle Urals based on reprocessing of Russian seismic reflection data, **123,** 673
Stephenson, W. *see* Liu, P.
Stewart, D.N., Whaler, K.A., Optimal piecewise regression analysis and its application to geomagnetic time series, **121,** 710
Stoll, G. *see* Granet, M.
Suárez, G. *see* Comte, D.
Sucksdorff, C. *see* Menvielle, M.
Suleiman, A.S., Doser, D.I., The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, *M*=7.1 earthquake sequence, **120,** 312
Sun, W. *see* Hunt, C.P.
Sykes, L.R. *see* Abers, G.A.

Tait, J., Bachtadse, V., Soffel, H., Upper Ordovician palaeogeography of the Bohemian Massif: implications for Armorica, **122,** 211
Takei, Y., Kumazawa, M., Phenomenological representation and kinematics of general seismic sources including the seismic vector modes, **121,** 641
Takeuchi, N. *see* Geller, R.J.
Tamura, Y. *see* Chao, B.F.
Tanaka, H., Kono, M., Uchimura, H., Some global features of palaeointensity in geological time, **120,** 97
Tanimoto, T., Formalism for traveltime inversion with finite frequency effects, **121,** 103
Tapley, B.D. *see* Shum, C.K.
Tapponnier, P. *see* Gaudemer, Y.
Tessmer, E., 3-D seismic modelling of general material anisotropy in the presence of the free surface by a Chebyshev spectral method, **121,** 557
Thomas, D.N., Piper, J.D.A., Evidence for the existence of a transitional geomagnetic field recorded in a Proterozoic lava succession, **122,** 266
Thomas, D.N., Rolph, T.C., Shaw, J., Palaeointensity results from the Permo-Carboniferous (Kiaman) reversed superchron: the Great Whin and Midland Valley sills of the northern United Kingdom, **123,** 798
Thompson, R., Maher, B.A., Age models, sediment fluxes and palaeoclimatic reconstructions for the Chinese loess and palaeosol sequences, **123,** 611
Thoraval, C. *see* Corrieu, V.
Thurber, C.H. *see* Li, Y.
Tomita, S. *see* Kodaira, S.
Tong, C., Characterization of seismic phases—an automatic analyser for seismograms, **123,** 937
Tong, C., Kennett, B.L.N., Towards the identification of later seismic phases, **213,** 948
Torsvik, T.H., Meert, J.G., Early Proterozoic palaeomagnetic data from the Pechenga Zone (north-west Russia) and their bearing on Early Proterozoic palaeogeography, **122,** 520
Trampert, J., Woodhouse, J.H., Global phase velocity maps of Love and Rayleigh waves between 40 and 150 seconds, **122,** 675
Tromp, J., Normal-mode splitting due to inner-core anisotropy, **121,** 963
Tsapanos, T.M., Galanopoulos, D., Burton, P.W., Corrigendum, **120,** 783
Tsapanos, T.M., The temporal distribution of aftershock sequences in the subduction zones of the Pacific, **123,** 633
Tselmovich, V.A. *see* Bazhenov, M.L.
Tsuruoka, H., Ohtake, M., Sato, H., Statistical test of the tidal triggering of earthquakes: contribution of the ocean tide loading effect, **122,** 183

Uchimura, H. *see* Tanaka, H.
Ueki, S. *see* Nishimura, T.
Ulrych, T.J., Sacchi, M.D., Sompi, Pisarenko and the extended information criterion, **122,** 719
Umino, N., Hasegawa, A., Matsuzawa, T., *sP* depth phase at small epicentral distances and estimated subducting plate boundary, **120,** 356
Unsworth, M., Oldenburg, D., Subspace inversion of electromagnetic data application to mid-ocean-ridge exploration, **123,** 161
Urabe, T. *see* Katsumata, K.
Utsu, T. *see* Ogata, Y.

Van Balen, R., Cloetingh, S., Neural network analyses of stress-induced overpressures in the Pannonian Basin, **121,** 532
van Velzen, A.J., Zijderveld, J.D.A., Effects of weathering on single-domain magnetite in Early Pliocene marine marls, **121,** 267
Vanneste, C. *see* Cowie, P.A.
Vanyo, J., Wilde, P., Cardin, P., Olson, P., Experiments on precessing flows in the Earth's liquid core, **121,** 136
Varga, P., Hajósy, A., Csapó, G., Laboratory calibration of Lacoste–Romberg type gravimeters by using a heavy cylindrical ring, **120,** 745
Vasco, D.W., A transformational approach to geophysical inverse problems, **123,** 183
Vavryčuk, V., Yomogida, K., Multipolar elastic fields in homogeneous isotropic media by higher-order ray approximations, **121,** 925
Verhoef, J. *see* Arkani-Hamed, J.
Verosub, K.L. *see* Fine, P.
Vilas, J.F. *see* Conti, C.M.
Viljanen, A., Kauristie, K., Pajunpää, K., On induction effects at EISCAT and IMAGE magnetometer stations, **121,** 893
Vo-Thanh, D., Influence of fluid chemistry on shear-wave attenuation and velocity in sedimentary rocks, **121,** 737

Waddington, R., Gubbins, D., Barber, N., Geomagnetic field analysis—V. Determining steady core-surface flows directly from geomagnetic observations, **122,** 326
Wahr, J. *see* Han, D.
Waltham, D.A. *see* Wang, T.K.
Wang, H.C. *see* Otofuji, Y.
Wang, J.-H., Effect of seismic coupling on the scaling of seismicity, **121,** 475
Wang, T.K., Waltham, D.A., Seismic modelling over 3-D

homogeneous layered structures—summation of Gaussian beams, **122,** 161
Wang, Y., Houseman, G.A., Tomographic inversion of reflection seismic amplitude data for velocity variation, **123,** 355
Wang, Z., Dahlen, F.A., Validity of surface-wave ray theory on a laterally heterogeneous earth, **123,** 757
Wangen, M., Secondary migration of hydrocarbons in inclined layers, **121,** 663
Weber, M. *see* Krüger, F.
Wei, K., De Bremaecker, J.-Cl., Fracture growth—I. Formulation and implementations, **122,** 735
Wei, K., De Bremaecker, J.-Cl., Fracture growth—II. Case studies, **122,** 746
Weidelt, P., Bounds on local averages of one-dimensional electrical conductivity distributions, **123,** 683
Weigelt, E. *see* Jokat, W.
Westerhaus, M. *see* Wyss, M.
Whaler, K.A. *see* Stewart, D.N.
White, R.S. *see* Drijkoningen, G.G.
Wielandt, E. *see* Friederich, W.
Wilde, P. *see* Vanyo, J.
Wilson, L. *see* Parfitt, E.A.
Wilson, L., Parfitt, E.A., Head III, J.W., Explosive volcanic eruptions—VIII. The role of magma recycling in controlling the behaviour of Hawaiian-style lava fountains, **121,** 215
Winter, T. *see* Lavenu, A.
Wolf, D. *see* Breuer, D.
Woodhouse, J.H. *see* Pegler, G.; Trampert, J.; Robertson, G.S.
Woods, B.B., Harkrider, D.G., Determining surface-wave magnitudes from regional Nevada Test Site data, **120,** 474
Wyss, M., Westerhaus, M., Berckhemer, H., Ates, R., Precursory seismic quiescence in the Mudurnu Valley, North Anatolian Fault Zone, Turkey, **123,** 117

Xie, L., Dickman, S.R., North Sea pole tide dynamics, **121,** 117
Xu, P., Grafarend, E., A multi-objective second-order optimal design for deforming networks, **120,** 577
Xu, T., McMechan, G.A., Composite memory variables for viscoelastic synthetic seismograms, **121,** 634

Yamashita, T. *see* Murai, Y.
Yegorova, T.P., Kozlenko, V.G., Pavlenkova, N.I., Starostenko, V.I., 3-D density model for the lithosphere of Europe: construction method and preliminary results, **121,** 873
Yin, Z.-M., Ranalli, G., Modelling of earthquake rupturing as a stochastic process and estimation of its distribution function from earthquake observations, **123,** 838
Yomogida, K. *see* Vavryčuk, V.
Yomogida, K., Benites, R., Relation between direct wave Q and coda Q: a numerical approach, **123,** 471
Yoon, K.-H., McMechan, G.A., Simulation of long-period 3-D elastic responses for whole earth models, **120,** 721
Young, J.B., Presgrave, B.W., The political subdivision of Southeast Asia and Northwest Africa in the Flinn–Engdahl Regionalization Scheme, **123,** 623

Zahradník, J., Priolo, E., Heterogeneous formulations of elastodynamic equations and finite-difference schemes, **120,** 663
Zelt, B.C. *see* Hole, J.A.
Zeng, X. *see* MacBeth, C.
Zhang, J., McMechan, G.A., Estimation of resolution and covariance for large matrix inversions, **121,** 409
Zhang, P., Chouteau, M., Mareschal, M., Kurtz, R., Hubert, C., High-frequency magnetotelluric investigation of crustal structure in north-central Abitibi, Quebec, Canada, **120,** 406
Zhao, L., Dahlen, F.A., Asymptotic normal modes of the Earth—II. Eigenfunctions, **121,** 585
Zhao, L., Dahlen, F.A., Asymptotic normal modes of the Earth—III. Fréchet kernel and group velocity, **122,** 299
Zhao, S., Joint inversion of observed gravity and GPS baseline changes for the detection of the active fault segment at the Red River fault zone, **122,** 70
Zhitai, C. *see* Gaudemer, Y.
Zhou, H., Chen, G., Waveform response to the morphology of 2-D subducted slabs, **121,** 511
Zijderveld, J.D.A. *see* van Velzen, A.J.
Zollo, A., De Matteis, R., Capuano, P., Ferulano, F., Iannaccone, G., Constraints on the shallow crustal model of the Northern Apennines (Italy) from the analysis of microearthquake seismic records, **120,** 646
Zoussi, S. *see* Glover, P.W.J.